LIBRARY UNIV OF HDARK MOSCOW



its,

the er. ut. ut. ord . I ere s."

ew nd ad its im be -8 ew rs, ly e-

w or or oy it



Not even Reo has produced such values before—and Reo has a reputation for extra-value-building that dates back 30 years!

The 1½-2½ ton Reo Speedwagon now costs only a few dollars more than the cheapest trucks on the market—and has quality features that easily rank it with the most expensive.

Operators who demand the most for their

ing only of the original price.

VOLUE

Over the New Tre

Cover Cre

Cold Fact Fruit

American A P

Indiana G Moth

State Hort

Controlling

Eastern A

Making M

Sessonable

"Every Gre

AMER

AMERICA

Domestic ex

Cleveland a Canada (Inc Entered as land, Ohio,

On this basis, Reo naturally continued to gain. Any fair comparison is too and in Reo's favor to escape the buyer the who is looking for FACTS!

Reo Speedwagons and Trucks range from 1 tons. New low prices — \$530 and up. 32 which all with Reo Gold Crown Engines. Tractoriumits with correct load distribution and maximuload capacity. All prices chassis f. o. b. Lansing tax. Dual wheels extra.

THE QUALITY TRUCK IN THE LOW PRICE FIELD

AMERICAN FRUIT GROWER

(Title Registered in U. S. Patent Office)

VOLUME 54 No. 6

JUNE, 1934

CONTENTS

| Over the Editor's Desk | 4 |
|---|----|
| New Tree Fruits—Their Origin and Value By George H. Howe | 5 |
| Cover Crops for Orchard Economy | 6 |
| Cold Facts About Profitable Cold Storage on the Fruit Farm | |
| By Dean Hailiday | |
| American Pomology A Page Conducted in the Interests of the American Pomological Society. | |
| Indiana Grower Wins Battle Against Codling Moth By Kenneth Stalcup | |
| Sute Horticultural News | 13 |
| Controlling Codling Moth 100% By John T. Bregger | 14 |
| Eastern Apple Council | 17 |
| Making Meetings Successful By Mary Lee Adams | 18 |
| Sessonable Fashions | 19 |
| "Every Grower's" Page | 20 |

THE FIRE BATH* OF A FRUIT GROWER

SOMETIMES a divine power appears to direct our lives. We plan and do things without apparent reason. Years later these actions become understandable. This was the case with a certain wealthy man. He planted an orchard to please a son who loved trees and was anxious to engage in horticulture. No expense was spared in developing this orchard. The boy's vision exceeded the comprehension of his parents, and had he lived, he would have seen the rich reward of his planting. But he was one of those brave Americans who did not return after the war. His spirit, however, seemed to spur the growth and development of his beloved orchard. During the depression the wealth of the family faded until only the fruit trees remained in the estate. The once wealthy father now turned hopefully to the boy's trees for means of support. For three years now, they have provided him with both spiritual and material comfort. This father, like the Phoenix of old, rose from the ashes of despair into a wholesome and more beautiful life. The orchard planted for the son proved a veritable treasure to the father

Fruit growers do not need to be reminded of the potential possibilities of an orchard, but we all take many things for granted. Trees bear fruit—fruit is profit, and orchards become a commercial matter. In the pursuit of wealth, it is easy to lose sight of the grandness and munificence of Nature. In recent years many of us have learned that permanent happiness cannot be measured entirely by material success. It is refreshing, therefore, to find both profit and spiritual satisfaction in an orchard undertaking. Trees seldom disappoint; Nature never!

*According to Egyptian mythology, the fire bath was taken every 500 years by the Phoenix, a miraculous bird which was consumed in fire and arose in youthful freshness from its own ashes.

Mister

AMERICAN FRUIT GROWER

Published Monthly by AMERICAN FRUIT GROWER PUBLISHING CO. 1370 Onterio St., Cleveland, O.

SUBSCRIPTION RATES

Domestic except Cleveland 3 years \$1.00. 1 year 50c. Cleveland and Foreign (except Canada) \$1.00 per year. Canada (Including tax) \$1.50 per year. Entered as second-class matter at Post Office at Cleveland, Ohio, under the Act of March 3, 1879.

E. G. K. MEISTER

JOHN T. BREGGER Editor-in-Chief DEAN HALLIDAY
Managing Editor

BENJAMIN WALLACE DOUGLASS MARY LEE ADAMS—T. J. TALBERT Associate Editors

ROGER FISON, EASTERN MGR.

280 Madison Ave., Room 1110

New York, N. Y.

Phone—Caledonia 5-0738

Over the Editor's desk

AS the result of a varied and unusual winter and spring season throughout the entire country, present prospects for a fruit crop are as varied as the weather conditions have been during the last six months. Outside of a complete killing of peaches in the Northeast section of the country, there appears to be no fruit crop failures in any section. Apples bloomed somewhat light in some districts, but, as has been shown in other years, the final set of fruit may be decidedly unrelated to the size of bloom. Dry weather during blooming periods, with a complete absence of scab infection in many districts, has tended to make

conditions for fruit-setting almost ideal. There are two general factors which determine the grower's opportunity for securing a fair profit from his crop of fruit. One is concerned with the size of crop in the entire country and the buying power of the consumer. Over this factor the grower has very little if any control. He is, however, very much in control of another factor upon which a large share of the profit he can expect to make is determined. This second factor is the quality of fruit that he produces and his cost of production, based on the yield secured. In other words, the quantity and quality of his own crop, regardless of the general selling price throughout the country, will usually spell his success or failure, whichever the case may be. The fruit grower's own management, unless his orchard is poorly located to begin with, or his capital structure too top-heavy, is invariably the responsible factor in profitable production. This inescapable situation the fruit grower must face every year, in addition to other problems bestowed on him by Mother Nature or (if you want to call it) Fate.

*

AMONG the greatest opportunities for professional and adult education, travel is as beneficial to the average layman as any form of educational activity. For the fruit grower, during the few slack seasons he may find in winter or summer, there is no better way to get in touch with new and better methods of orchard practice than to visit the orchards of leading growers in the fruit sections of other states. Even the citrus grower has much to learn from the apple grower and vice versa.

Whether you travel only across a single state or across the entire continent, opportunities of this kind are very valuable adjuncts of a vacation. The greatest value from such a trip, however, depends upon a certain amount of advance information and planning, so as to prepare a schedule which will include the best orchard districts within reasonable distance limits.

Although AMERICAN FRUIT GROWER does not and cannot maintain a full fledged travel information bureau, its editorial staff will be glad to suggest to its individual readers who write us certain travel schedules which will give them a varied and ample opportunity to visit leading orchards and small fruit plantations in those areas adjacent to their route. Perhaps your 1934 trip will take you to the Century of Progress or across another section of the country, in which case, by a careful mapping out of both going and return routes, you can not only reap a maximum of pleasure, but an education in practical horticulture which will more than pay the cost of the entire trip.

LAST month we welcomed nearly 200 fruit growers into AMERICAN FRUIT GROWER'S Fifty-Year Club as charter members. We appreciated the fact at that time, however, that there were still many other men who have served the fruit growing industry for 50 years, there are 12 more names we are pleased to add to the Club's roll call. Here they are:

Dr. E. L. Beal, Republic, Mo.; George Bren, Hopkins, Minn.; Frank Burke, Rivera, Calif.; Lawn Houghton, Norwalk, Calif.; L. W. Houghton, Rivera, Calif.; C. L. Jones, Corinna, Maine; L. W. Lipsey, Blanton, Fla; Herman Luedloff, Cologne, Minn.; Frank W. Morrischer, Cocon. Fla. I. W. B. Downey, Calif.; E. P. Porcher, Cocoa, Fla.; J. Walker Robins, Mt. Morris, Ill.; James Sharpe, Council Grove.

F space permitted we would like to reproduce all of the fine letters we have received from and about our 50 year fruit growers. Representing as they do all sections of the country and experience in the growing of all kinds of fruit they paint a very accurate picture of what fruit growing has been during the last half century. It cannot help but give all of us inspiration to read a few of the outstand-

ing experiences of these men-

Henry Webber of Maine, for instance, is a 90-year-old Grand Army veteran who has grown apples all his life and as recently as a few years ago has personally supervised the planting of new varieties.-W. F. Ward of Indiana has been a grower of fruit on the same farm for his entire lifetime of 72 years.—John M. Miller of West Virginia has 71 continuous years to his credit in the apple growing business and for years has been holder of the mythical title "Apple King", as the largest owner-operator in eastern U. S.—Another West Virginia grower, D. Gold Miller, now 76, began his fruit experience at the age of seven by helping the budders in his father's nursery an young orchards.-Moving farther west, we find W. S. Perrine of Illinois who came with his parents at the age of four in 1866, to the farm where he now lives, and has been actively engaged in fruit growing ever since.-Upin Michigan, Luther E. Hall is rated at 84 years of age & one of the State's best commercial fruit growers.-And then we jump to Montana to find H. C. B. Colvill, who was born on a 10-acre Cornwall, England, fruit farm surrounded by 20-foot brick walls, but who in 1886 became established in Montana, where he has personally tested some 80 varieties of English apples and pears in what was at one time the largest collection of its kind in the U.S.A. -Out in California let us greet in particular R. I Holcomb who writes he has been a subscriber to the FRUIT GROWER for 50 years.—And W. P. Lett who began growing citrus fruit near Riverside in 1881 and is sil going strong" at the age of 85 years.

These and many more "patriarchs" of fruit growing deserve our respect and admiration, and we wish the many more productive years in this wonderful profession

THE

By GE

New York

ROFESS

mologists

America ha

fuits for m

perience has

dies produc

others. Ma

seldom, if

medlings.

Delicious ha

parents, and

ypes of ap

lavor. Am

equi

lave proved

for cross-bre

In New

society of fr

New York

operative A se of wh

wrieties of

mended for

itation in th

Let us see JUNE, 1934

THEIR ORIGIN AND VALUE

By GEORGE H. HOWE

New York Experiment Station

vers into charter nowever, e served Already d to the Hopkins, oughton .; C. L n, Fla: Iorrison, Walker 1 Grove,

11 of the 50 year as of the of fruit. growing help but outstand-

-year-old his life y super-Vard of

farm for of West he apple r of the

operator .

D. Gold e age of sery and

vill, who

arm sur-

became

what was

U.S.A.

R. B.

no began I is still


growing

sh them

fession

NE, 1934





Two promising new apples. Left, Macoun; right, Newfane

W. S PROFESSIONAL and amateur the are pomologists and fruit growers in and has —Up in America have been breeding new fruits for more than a century. Exf age a prience has shown that some variis produce better offspring than others. Many sorts when cross-bred adom, if ever, produce desirable medlings. In apples, McIntosh and y testal belicious have proved to be excellent parents, and it so happens that these types of apples now find greatest avor. Among other tree fruits greral equally well-known kinds lave proved to be superior parents for cross-breeding.

In New York State there is a ociety of fruit growers known as the New York State Fruit Testing Cooperative Association, the sole purpose of which is to introduce new aneties of fruits which are recommended for trial by the Experiment Station in that State.

Let us see how and when some of JUNE, 1934

these varieties which the Association distributes have originated, and what is their value. All which are discussed in this article originated from known crosses made at the State Experiment Station, Geneva, N. Y., unless otherwise indicated.

Take the well-known Cortland apple, for example. The parents are Ben Davis and McIntosh, both wellknown sorts, even though the maternal parent has long been condemned because of its poor quality. seed which produced Cortland was borne in 1898. It germinated in 1899. The seedling grew first in the greenhouse, later in the nursery, and finally in the orchard where it first fruited in 1910. After being tested for five successive seasons, the new seedling was considered worthy of trial. It was given a name and introduced in 1915. In the 15 years since its formal introduction, Cortland has become so well thought of

AMERICAN FRUIT GROWER

that it has been widely planted in the East as a McIntosh type to supplement that variety. It took McIntosh more than twice that length of time to become popular.

Who likes early yellow apples? Those who do can find no better sort than Lodi, a cross between Montgomery, a handsome red sour apple, and Yellow Transparent. This seed-ling, closely resembling its paternal parent, originated in 1911 and fruited first in 1920. After four years' trial it was named and introduced as an improvement over Yellow Transparent-larger, a trifle later in season, and of superior quality.

Who would like a McIntosh apple ready to eat in August? Such an apple is now on the market. It is Early McIntosh, a seedling of Yellow Transparent crossed with McIntosh, which originated in 1909. After five years' trial it was named and intro-

(Continued on page 21)

COVER CROPS

FOR ORCHARD ECONOMY

By CLARENCE E. BAKER

Purdue Experiment Station

THE most common soil management system utilized in growing horticultural crops is that of cultivation. The possible exception of this is in the case of apple orchards in which sod mulch or straw mulch is used to replace cultivation on rolling or hilly land. With most tree fruits and small fruits, however, cultivation is considered necessary to maintain optimum growth and production. In such cultivated plantings some prac-

tice is necessary to maintain a satisfactory content of organic matter in the soil to promote growth and fruitfulness. Continuous cultivation tends to deplete the organic matter of the soil and with the destruction of the organic matter comes the unfavorable physical condition of the soil resulting from the lack of humus.

The chief value, therefore, of cover crops is to supply humus or organic matter to soils in continuous cultiva-

tion during the growing season, by producing vegetative material which may be turned under and incorporated with the soil. This aids in maintaining a sufficiently high content of organic matter to prevent the serious reduction in fertility and the poor physical condition of the soil following the burning out of the humus.

Another function of a cover crop is to increase the moisture holding capacity of the soil. Soils low in organic matter are as a rule poor in moisture retaining qualities. Darker soils, high in organic matter, generally are more moisture retentive than lighter soils, low in humus. The continuous addition of organic matter in the form of a cover crop worked into the soil year after year does much to promote a good, physical condition of the soil and to maintain its moisture holding capacity.

By DE

AN increa

nowers nov

realized fro

crops by r

They are the

mit farms.

mapple cre

e sold in a

laving little

matures ra

rees, the ap

modition f

nonths. As lavorable, a

pples are so

at a profit.

ped." The ples in his o

position to

rants, take

pack accordi and ship upo

This proc

less comm

he Central

he co-opera

nilar capa

nercial stor

mjor part o

Cold stora

nd controll

le last 50 1862, invent

storage

A third function of a cover crop for horticultural uses is to take up the excess moisture sometimes preent in the soil during the latter part of the growing season when it is not needed by the trees or small fruit plants. Frequently, young fruit tres or vigorously growing bearing trees, continue their growth late into the fall past the time when they should be slowing up in growth and ripening their wood. The same is true with brambles. The result of this ex-tended period of growth is that the tree or bush goes into the winter in a rather immature condition and winter killing of the succulent tissue fre quently results. A cover crop plantel late in the summer under these conditions uses up large amounts of the excess moisture that is available so that the trees or bushes may mature or ripen their wood in a more nearly normal manner.

Cover crops, such as rye, that live over winter also protect the sol from excessive washing. This fact alone is sufficient reason for using cover crops under many conditions.

In general cover crops or great (Continued on page 19)

tinuous cultiva-

A young orchard in straw mulch with a cover crop of alfalfa



A cover crop of oats after freezing, providing winter protection against soil washing.

ison, by corpor-

n mainntent of serious he poor follow-

mus.

er crop

ding ca-

in orpoor in Darker gener-

ve than

he con-

ced into

nuch to

ition of

ake up

s pres-

t is not

ll fruit

it trees

g trees,

nto the

should

ipening te with

nis ex-

nter in

nd win-

ue fre-

planted

se con-

of the

able so

mature

nearly

at live

ne soil is fact

11SIDE

F1934 UNE, 1934

Interior of apple storage showing blower and air ducts. Right-Exterior of modern apple storage

COLD FACTS

ABOUT PROFITABLE COLD STORAGE

ON THE FRUIT FARM



By DEAN HALLIDAY

house

atter in An increasing number of fruit nowers now gauge the profit to be ralized from their annual apple gops by reading a thermometer. noisture They are the growers who have built and storage plants on their own fruit farms. Into these storages goes apple crop that otherwise might le sold in a glutted market at a price er part laving little or no profit. At temmatures ranging from 36 to 32 demes, the apples are held in perfect modition for two, three or six nonths. As marketing conditions are aworable, and prices attractive, the aples are sold, packed and shipped-#a profit. Take note of the stated muence—"sold, packed and shipped." The grower who puts his apis in his own storage house is in a position to hold for the price he mnts, take orders for delivery, then ack according to the buyers' desires and ship upon specified dates.

This procedure is becoming more I less common in the apple belts of the Central states. In the Far West, the co-operatives serve the grower in imilar capacity. In the East, commercial storage facilities absorb the pior part of the crops, for redistriation as price and demand dictate. Cold storage, mechanically created

ditions and controlled, is a development of last 50 years, although Kirk, in 2000, invented the first closed system

of refrigeration in America. His system, however, was of such low capacity that little progress was made until some 20 years later, with the invention by Karl von Linde of the first compression machine utilizing ammonia.

Even today, however, there are but two general methods of storing the commercial apple crop. One is the "common" or air-cooled storage, still used by more than 75 per cent of American growers. The other and newer method, utilizes "cold storage" facilities, where artificial cooling at fixed temperature is made possible by refrigerating machines.

"Common storage," in pits, cellars or buildings especially insulated, depends upon ventilation with relatively cooler outside air. By this method, only varieties of apples that ripen slowly, or that are protected by a thick russet skin, can be kept for any considerable length of time in common storage. Losses are primarily from fungous diseases or wilting. Twenty-five and more years ago, most of the country's apple crop not disposed of shortly after harvest was retained for a varying period by this method, and even at the present time a considerable portion of the commerical apple crop is handled through common storage.

Cold storage, with thermostatic control of temperature, is automatically extending the marketing of

fruits. Consumers can buy fancy apples almost any month in the year. The glutting of markets is being minimized, loss from spoilage decreased, and seasonal prices are more nearly stabilized. As a result, the higher quality apples such as Delicious and McIntosh, have increasingly been produced and the relatively low quality long-keeping varieties, such as the Roxbury and Ben Davis, have decreased in importance.

There are many types of cold storage construction that are practical for the fruit farm. Various systems of mechanical refrigeration also are available at varying price ranges. Investment versus potential savings and profits depends largely upon a grower's production and marketing out-

The history of a West Virginia installation may prove a guide for other growers. Here, at a cost of less than \$3,000, a blower-type refrigerating unit was installed in a cold storage with a capacity of 10,000 barrels. Construction of the storage consisted of 12-inch walls, standard refrigeration doors; eight inches of ground cork in the ceilings; 18 inches of cinders under concrete in floors and no insulation at all in the side walls. Dimensions of the house were 72 by 84 feet, 14 feet high, floor to ceilings.

Because of unavoidable delay, the refrigeration did not start operating

(Continued on page 16)

AMERICAN POMOLOGY

A Page Conducted in the Interests of the American Pomological Society

OFFICERS FOR 1934

President: B. S. Pickett, Ames, Iowa.
Vice President: W. A. Taylor, Washington, D. C.
Vice President: W. S. Blair, Kentville,
Nova Scotia.
Secretary: H. L. Lantz, Ames, Iowa.
Treasurer: H. C. C. Miles, Milford, Conn.

BOARD OF MANAGERS

obert Simpson, Vincennes, Ind. . H. Gourley, Wooster, Ohio. . C. Blair, Urbana, III.

EXECUTIVE COMMITTEE W. H. Alderman, St. Paul, Minn. W. S. Brown, Corvallis, Ore.

EXECUTIVE COMMITTEE

C. E. Dutton, Milford Center, Ohio. S. W. Fletcher, State College, Pa. Laurenz Greene, Lafayette, Ind. N. E. Hensen, Brookings, S. D. Wesley Hawley, Ludington, Mich. W. S. Perrine, Centralla, Ill. H. L. Price, Blacksburg, Va.

EXECUTIVE COMMITTEE

J. Rahmlow, Madison, Wis.
bert Simpson, Vincenes, Ind.
J. Talbert, Columbia, Me.
C. Taylor, Louisville, Ky.
P. Tufts, Davis, Calif.
B. Tukey, Geneva, N. Y.
A. Van Meter, Amherit, Ma

Whether

When we

ingle insec

Page 135, I

"Nicotine

unnate an

hown inse

The manu ales prom

with Exper

reloped a

prays from

control

itions. Th

BLACK LE

e other inor

hey eat. But

treduces stir

BLACK LE

his combina

ge and f talt moths,

mes and v coppers and

IUNE, 1934

A FEW weeks ago the president of the A.P.S. received a letter from one of the older life members of the society, Wm. B. Alwood, of Greenwood, Va., correcting his address. Recognizing the writer as the author of certain valuable U.S.D.A. bulletins on cider and vinegar making and on the composition of fruits dating back some the composition of fruits, dating back some years ago, correspondence was invited with Alwood with a view to passing news regarding him along to other members through the medium of your page in the FRUIT GROWER.

Mr. Alwood is president of the Mountain Hollow Orchard Company, Inc., of Green-wood. He expresses his regret at being unable to attend recent meetings of the A.P.S. and promises some personal notes of greater length for an early number of the FRUIT GROWER.

The correspondence wth Mr. Alwood led to inquiries among other life members for news and information, with very interesting

From Charles W. Garfield, 208 Burton St., S.E., Grand Rapids, Mich., came two fine letters. It seemed that Mr. Alwood claimed the championship for age among the life members, an honor promptly disputed by Mr. Garfield, who continues to be active in civic affairs at 86. Mr. Gar-field became secretary of the A.P.S. in 1885 and continued in this office for several years, serving for some time under the late P. J. Berckmans.

"I became attached to the A.P.S. in the late 70's," says Mr. Garfield, "and was on the executive committee some years before I was chosen secretary in 1885. Because of my official connection with the Michigan State Horticultural Society, I became a correspondent of many of the leading pomologists of the country and that correspondence was to me a great joy and a wonderful opportunity for education along the lines I expected to follow in my life

"I was younger than Wilder, Brackett, Lyon, Berckmans, the Ellwangers, the Barrys, John J. Thomas, the Warders, father and son, and Mannings, Charles Downing, and many other leading lights in the A.P.S., but they treated me with the utmost courtesy, and when I became secretary, gave me kindly, thoughtful, and gencounsel and assistance.

Mr. Garfield writes with zest of a great meeting of the A.P.S. at Grand Rapids in 1885 and speaks regretfully of the fact that only Dr. Bailey and himself survive of those who were responsible for the guid-

ance of the program of that meeting.
William S. Myers, whose present address
is The University Club, 1 West 54th St.,
New York City, promises us "a word or
two" on items of historical interest to the A.P.S. membership. Please watch for this in an early issue.

George C. Husmann, 1419 Allison St.

N.W., Washington, D.C., writes with pleasure of having news of his old friend, writes with Prof. Wm. B. Alwood, and humorously remarks that "whether he or I is the oldest living member likely depends on whether



or no he is older than I be." "I have him beat bad in another respect, however,' beat bad in another respect, however," says Mr. Husmann, "namely that, together with Marshall P. Wilder, my father was one of the originators of the society." You will find Mr. Husmann's picture on this page.

W. S. Hart, 1114 Magnolia St., New Smyrna, Fla., and Dr. Win. A. Taylor, retiring chief of the Bureau of Plant Industry. ILSDA first vice precident of

dustry, U.S.D.A., first vice president of the A.P.S., are other life members about whom you may expect news in your next B. S. PICKETT, Pres.

RUIT growers, as never before, are advising themselves as to the economic status of their business. Economics and fruit growing go hand in hand. Information relative to variety and production trends throughout the United States is contained in a most excellent bulletin by Chester C. Hampson, Washington Agricultural Experiment Station, Pullman. The bulletin is No. 277, "Trends in the Apple Industry." published February, 1933. The following informative items are selected from the summary of the publication:

"The trend of total apple production in

"The trend of total apple production in the United States has been downward since 1914; the trend of car-lot shipments has been downward since 1923, and the trend of commercial production has been slightly downward since 1926. Because of the wide annual fluctuations in yield, however, large crops will continue to be produced, with resulting low prices.

"The number of bearing trees in the United States decreased 41 per cent. In the Barrel States, the decrease was 46 per cent, but in the Box States there was an increase

of 10 per cent.
"Yield per tree in the United States has increased 80 per cent during the last 20 years. Between 1927 and 1931 the yield in the Box States averaged approximately 42 bushels per tree, and in the Barrel States 1.4 bushels per tree. In Washington the yield averaged about 1.3 bushels per tree between 1907 and 1911. By 1927 to 1931, it had increased to 6.1 bushels per tree, the

"The tendency to concentrate on a few varieties is more pronounced in the Box States than in the Barrel States. The five most important varieties in the Box States represented two-thirds of the total number of trees in 1928, while in the Barrel States the five main varieties accounted for only one-third of the trees. Delicious trees er-Ceeded those of any other variety in the United States, and nearly three-fourths of them were less than 14 years of age. The Barrel States had over two and one-half times as many trees of this variety as the Box States. Although the Box States had Box States. Although the Box States had more Delicious trees over 14 years of age than the Barrel States they had less than one-fourth as many under 14 years old During recent years there have been much States than in the Box States. There were almost as many Winesap as Delicious tres in the United States in 1928 but only about one-half as many under 14 years of age Recent Winesap plantings have been much heavier in the Barrel States where there were over four times as many trees of this variety under 14 years of age in 1928 at there were in the Box States. Recent Jonathan plantings have been much heavier in the Barrel States which had about I times as many trees under 14 years old in 1928 in the Box States. Plantings of Rome Beauty during recent years have been lighter than those of Delicious, Winesap, or Ionathan.'

A fine service could be rendered the fruit interests of America if the A.P.S. could sponsor a first class fruit exhibit at the Century of Progress exposition in Chicago this summer and fall. The finances of the organization will not permit an ambition undertaking without the support of the horticultural organizations, supply cocerns, fruit growers and the trade. The force of A.D.C. in the trade. officers of A.P.S. invite your suggestions

The annual report of the A.P.S. was mailed to the members the first of the month. If you have not received your later than the control of the copy, please notify the secretary. This report contains a very authoritative group of articles on spray residue removal, apple scab control, irrigation for orchards in humid climates, bud sports, new fruit its, codling moth control under severe infestions, and a fine article on, "Contributions of the A.P.S. of the A.P.S. to American Pomology.

JUNE, 1934

Page 8

AMERICAN FRUIT GROWER



Whether we admit it or not, the codling moth is steadily becoming more difficult to control...
When we say that * * * (mentioning a widely used stomach poison) "is the most effective ingle insecticide for the codling moth, it seems to be something of a confession of a failure."
[hege 135, February, 1934 Journal of Economic Entomology).

ourths of ge. The one-half ty as the tates had 's of age less than Wicotine Sulphate with Bentonite, nicotine sulphate with bentonite sulphur, a half charge of nicotine mate and oil, and nicotine sulphate with oil, all produced more clean fruit than either the * * * (well mown insecticides). Page 258, February, 1934 Journal of Economic Entomology).

"Black Leaf 40" Combinations for Codling Moth

The manufacturers of "Black Leaf 40," through ales promotion and research departments, working mit Experiment Stations and individuals, have dereloped a series of "Black Leaf 40" combination grays from which a spray schedule can be devised b control codling moth under practically any conations. These combinations consist of:

MACK LEAF 40" Added to Lead Arsenate,

rother inorganic stomach poison sprays, at the brood peaks: lad arsenate and other "stomach poisons" kill the worms after they eat. But "Black Leaf 40" kills them before they eat; hence induces stings, and a few stings make a cull!

MACK LEAF 40" with Summer Oil:

his combination furnishes a protective contact film on the flage and fruit which stops codling moth. It is active — kills that moths, eggs and larvae by contact, these four combinations and vapors. Also kills aphis, leaf"BLACK LEAF 40" with Kolofog and S. A.S. Spreader:

This combination of "Black Leaf 40" with a bentonite colloidal sulphur fungicide is very promising as a codling moth control. It holds "Black Leaf 40" on the foliage and fruit in the form of a nonvolatile and insoluble nicotine deposit which bars the entrance of newly hatched larvae. Further, this combination controls apple scab.

"BLACK LEAF 155"
(Patent Applied For)

This product is a specially processed "Black Leaf 40"bentonite combination and also contains special fixing and spreading agents. Has the characteristics of the ideal fixed nicotine insecticide. Is usable with colloidal sulphur fungicides. Also with Summer-Oil. Mixes readily with water in the spray tank to form a suspension of very fine particles. It furnishes proper film-coverage of fruit and foliage. "Black Leaf 155" is packed in 5-lb. sacks, 10 per case. The dosage recommended is 5 pounds of "Black Leaf 155" per hundred gallons of water.

These four combinations control codling moth; and the splendid foliage resulting when they are used is outstanding. What about their cost? The crop, when you pick, grade and pack it, is the answer. • Any spray material that is used against codling moth and fails to control the pest or injures and destroys foliage, is expensive, no matter how little it costs. "The question of cost includes not only the cost of material and the expense of applying it, but must be considered from the standpoint of the clean fruit produced by the process." (Page 15, February, 1934 Journal of Economic Entomology. nomic Entomology.
WRITE FOR DESCRIPTIVE LITERATURE

TOBACCO BY-PRODUCTS & CHEMICAL CORP.
INCORPORATED

LOUISVILLE, KENTUCKY

Manufacturers of "Black Leaf 40"



loppers and mites.

MITTEE

n increase states has e last 20 e yield in

nately 42 rel States ngton the per tree

to 1931 tree, the on a few

the Box The five ox States

1 number rel States for only

trees ex-

ears old.

en much e Barrel ere were ous trees

ily about

of age. en much ere there

s of this

1928 as

Recent

heavier about 10

s old in

of Rome ve been nesap, or

the fruit

S. could at the

Chicago s of the

mbitious of the

y con-e. The gestions

of the d your

This reroup of apple

uit list infesta butic

INDIANA GROWER WINS

BATTLE AGAINST CODLING MOTH

By KENNETH STALCUP

EVERY operation in the Troth Orchards-thinning, banding, pruning, discing, spraying and picking—is directed toward the extermination of the codling moth. In 1926 nearly 98 per cent of the apples were injured by worms, but last season the entire damage caused by codling moth did not exceed three per cent, according to M. S. Troth, manager of the Troth Orchard Company, Orange County, Indiana. If this apple pest were left undisturbed in the orchard, it would ruin every apple. Under normal conditions the third brood of worms is larger than the second and the second does greater damage than the first. Due to the remarkable plans of war executed by Mr. Troth the first and second broods were completely under control, while the third

did very little damage.

When the Troth Orchard Company, composed of R. A. Troth, his brother, H. B., and his son, M. S., in 1925 took over the old Borton Orchard of more than 6,000 trees, including nine commercial varieties, it had become badly infested with codling moth. The trees had been mulched several years prior to this and the orchard had not been in cultivation. It had been considered good practice to grind up the prunings and spread under the trees. Straw, corn-

stalks and other waste plant material were included in the mulch which covered the ground. Upon investiga-tion it was found that the mulch had been serving as an excellent harbor for the moths. In one small section of cornstalk over 30 worms were discovered.

"The trees are thinned three times every year," said Mr. Troth. "We employ 60 men at thinning time and they are instructed to take off all the wormy apples in addition to the regular thinning. These wormy apples are kept separate in a picking bag, and later dumped into cans. Then they are scalded with steam to kill all the worms which otherwise might have been carried to maturity in them. This rigid thinning is probably responsible more than anything else for the remarkable decrease of the codling moth ravages in our orchard."

All the trees are banded every year before the 15th of June. Half of the orchard is banded with chemical bands. These are removed after the first heavy freeze. The other bands are examined every 10 days and the worms are killed. In 1926 as high as 505 worms were found under one band. This year they have averaged less than one-half worm to the band. The bands are examined the last time

in November.

All the knotty, broken branches, splits and fractures are pruned away to prevent the larvae from finding convenient shelter and also to aid in making it easier to spray thoroughly beneath the trees. These prunings are burned. During the winter the trees are scraped. For this purpose, sections from a mower sickle are fastened to short handles and are used for scrapers. In the spring before the moths emerge from the pupae, some may be killed by discing under the trees.

The trees have been sprayed as many as nine times with arsenate of lead. Four sprayers are used, and the fruit and foliage are given a heavy coating of the spray material so as to poison the larvae before they are able to eat into the apple. Summer oil and nicotine are used for the last two sprays in order to hold down arsenate of lead residue at pick-

An electric power plant, having a capacity of 2200 gallons per hour, pumps the water for spraying the 350-acre Troth Orchards. There are 10 huge tanks located at regular intervals throughout the orchard into which the water is pumped. During the spraying season, the sprayers go to the nearest tank to refill. The plant furnishes sufficient water to run eight spray tanks at the same time.

The packing house is covered with muslin about the first of May to prevent the moths, which have wintered there, from escaping to the orchard. If this were not done, the 15acre strip of orchard near the house would be completely ruined by moth infestation. All of the picking equipment is left within the house until the moths are killed so they will not be carried back to the orchard. From a daily record, it was found to be safe to open the packing house about the middle of July for packing.
"We thought we had the ravage."

of the codling moth checked in 1928," said the orchard manager, "but the past three years have been exceptionally good for them. The weather (Continued on page 16)



Simple type of moth trap used in Troth Orchard

AMERICAN FRUIT GROWER

IUNE, 1934

HE bloom

QUAK

PRTICUL THE T.

HE article, Price of Gold oncerning it

owa fruit gr Prof. Georg lora a year breau the ne king was

that has pro-

lowa apple

port, but th they know

4 States

rade in expor

The 50 to

cognition by

at apples an

ficiently proc

to be a gr

our nation

foreign t

curred at a ot weather aght out n much show Frosts at 1 actor in sout robably caus e already lig gree to app icated a b ally suppose plicated. The apple to large nun pring. Wi

pring. Wi roblem in pr No summer this year. T

Leave Us

In spite of northeastern f ongress feel: done to aid Senator E. I gricultural (hose?) inti Agricultu ude, among mendment, Secretary of icense proces roducers and who are proc thers engagi gricultural co which in turn lower and au ir apples and accordance wi Pennsylvani

ples declare The conspicu JUNE, 1934

HORTICULTURAL NEWS FROM THE TALL CORN STATE

article, "The Fruit Grower and the hix of Gold," and the Editor's comment ming it in the March issue of AMER-FRUIT GROWER was well received by fruit growers.

Prof. George Warren of Cornell came to Prof. George Warren of Cornell came to low a year ago January to explain to annual meeting of the Iowa Farm bureau the need of a new gold dollar. Some inking was aroused in the Middle West that has produced real progress for the

lowa apple growers do not produce for nort, but they realize that our national production is on an export basis. know that good prices in interior inited States are much dependent on active de in export apples.

anches,

d away finding

aid in

oughly unings

ter the

urpose,

le are

nd are ng be-

he pu-

discing

red as

ate of

d, and

ven a

aterial

e they

Sum-

ed for o hold

t pick-

ving a

hour,

g the

re are

ar in-

d into

uring

ers go

plant

eight

with

ay to

win-

ne orne 15house

moth

equip-until

ll not

From

to be

about

vages 928,"

t the

The 50 to 60-cent dollar along with mognition by the National Administration at apples are an important export item, sciently produced in United States, is goto be a great help as progress is made our national government in rebuilding foreign trade with reciprocal agree-

> ROBERT M. CLARK, Pres., Mitchellville

QUAKER STATE NEWS

HE blooming season in Pennsylvania HE blooming season in Pennsylvania numered at about the usual time. Very brought out most varieties in the State in a much shorter period for any given hality and for the State as a whole. Frosts at blooming time have been a actor in southern Pennsylvania orchards, mobably causing severe local injury to arready light peach crop and to a lesser to apples. While earlier prospects incated a better peach crop than originally supposed, the situation is even more

The apple tree tent caterpillar is present is large numbers in Pennsylvania this ming. Wild cherries are one of the impred host plants. This insect is no wored host plants. problem in properly sprayed orchards.

Summer Meeting

No summer trip or meeting will be held his year. These will be instituted again then and if the membership requests them.

Leave Us Alone Vs. A. A. A.

In spite of fervent entreaties from the ortheastern farmers to "leave us alone, Congress feels that something should be tone to aid such ungrateful persons. Senator E. D. Smith, Chairman of the Agricultural Committee, has upon request (whose?) introduced a bill which extends the Agricultural Adjustment Act to in-dude, among other things, fruits. This dude, among other things, fruits. This amendment, it is said, would give the Secretary of Agriculture authority to ense processors, distributors (including producers and associations of producers the are processors or distributors) and there engaging in the handling of any arcultural commodity or product thereof thich in turn would give the Secretary over and authority to establish a quota ir apples and thus restrict their sale in accordance with his dictates.

Pennsylvania does not wish to have The conspicuous and costly failures of

JUNE, 1934

"I took the old river hill in High!"



"It's a mean one. Steep. River bridge and culvert at the bottom. Dirt road and two bad turns. I once thought that no car would ever make it. Today I did it easily enough in my New Ford V-8."

UT in the country is where you see what a car can do. Hills and rutted, muddy roads are a sure test of performance and dependability.

It is hard, constant service that shows the superior quality of the New Ford V-8. It gives good service on the road because good service has been built into it at

Here are three important features of the New Ford V-8

the only car under \$2500 with a V-type, eight-cylinder engine. It is the most economical Ford ever built. It is easy riding on all roads and it gives you more interior room-front and rear -than any other low-price car. Why? Because the V-8 engine gives you eight cylinders in sturdier, chunkier engine space.

The outstanding value of the New Ford V-8 is not a matter of words or claims, but a definite, demonstrable fact. It is something you can see on the road as you "Watch The Fords Go By." You are doubly sure of it when you drive the car yourself and know personally what it can do.

> There's nothing like riding in a car to get the true story of performance, safety and comfort.



We have several new booklets on the Ford V-8 car and Ford V-8 truck. Also literature describing the Ford Exchange Service (plan whereby you can trade your present Ford Model A or B or V-8 engine and other units such as distributor, shock absorber, carburetor, etc., for factory-reconditioned units at small cost). These booklets are free and we shall be glad to send them to you on request. This coupon is for your convenience.

| FORD MOTOR Gentlemen: Ple | | | | | |
|------------------------------|---------|-------------|-------|-------------|------------|
| New Ford V-8 C | arN | ew Ford V-8 | Truck | Ford Exchan | ge Service |
| Name | | | | | |
| Route | | | | | |
| Post Office | | | State | | |
| AMERICAN | FRUIT (| GROWER | | | Page 1 |

The American Fruit Grower, Cleveland, Ohio

Beginning with the next number will you please change my address from the above to my permanent address, as follows: Mrs. E. J. Kempf, Wading River, N. Y.

I am glad to tell you that although I am a new subscriber I have already obtained far more than my money's King Grove, Eustis, Florida

worth from you, because it was one of your advertisements which led me to investigate and purchase one of the new McCormick-Deering 0-12 tractors which is so very well suited for orange grove work in Florida.

Sincerely yours,

(signed) Dorothy C. Kempf

Mrs. E. J. Kempf

This Is the Efficient Tractor Mrs. Kempf Bought



Cormick-Deering Model 0-12 Tractor, a new International Harvester product built especially for orchard and grove work. It pulls one 16-in. or two 10-in. plow bottoms, and other tools of proportionate size.

> Below: The new Model W-12, built for farm work. It is reguequipped with steel wheels as shown.


Mrs. Kempf of Eustis, Florida, was so happy over her purchase of the new McCormick-Deering 0-12 Tractor that she expressed her appreciation to the magazine in which she read the announcement. Another user, Ralph Byer, Upland, California, wrote us direct, saving: "Approximately 1 gallon of fuel per hour is all this little job uses, which I feel is remarkable for the amount of work it accomplishes, such as furrowing out 30 acres in 8 hours. In heavier work it is easy to cover 20 to 25 acres in orchards in the same length of time. . . . I can heartily recommend it in every way."


See this new small tractor at the nearby McCormick-Deering dealer's store, or write to us for complete information.

INTERNATIONAL HARVESTER COMPANY OF AMERICA

606 S. Michigan Ave.

Chicago, III.





McCORMICK-DEERING ORCHARD and FARM TRACTORS

similar efforts with other farm products through the fanatical tinkering of so-called master minds from the city and from the Midwest can do nothing else but make eastern fruit growers cry, "Leave to

"Swat the Starling" Campaign

The Erie County Horticultural Association members have become "fed up" with starlings, so that they have undertaken a starlings, so that they have undertaken a "Swat the Starling" campaign. They hope to enlist the other county associations of fruit growers, as well as other farm organizations in their efforts to reduce the starling menace. Shooting and trapping have been used. Gassing has not worked well. The game commission has not worked The game commission has not re allowed poisoning. We are asked to aid this fight in all possible ways.

Hardiness

Pennsylvania fruit growers are requested to note any striking evidences of quested to note any striking evidences of hardiness—or the great lack of it—in our Pennsylvania fruits, especially peaches and apples. The Pennsylvania State College is greatly interested in such information. If you have anything to report even if you are not certain how important it is, please drop at least a card to R. H. Sudds, Department of Horticulture, State College, Pa., giving all the details you can. This will be of value to the industry and to you personally, as all information will be compiled and made public.

R. H. Sudds, Sec'y, State College.



MASSACHUSETTS **NOTES**

WINTER injury continues to be the with INIER injury continues to be the main topic with fruit growers in Massachusetts. All seem to agree that "time will tell" how great the injury is. In fact, very likely only "time will tell" More will be known after the June drop them is known now.

than is known now.

Peaches are out of the picture for this year; maybe in some plantings for longer than this year. Pears do not cut much of than this year. Pears do not cut much of a figure in Massachusetts, but such as there are show some fruit bud injuty, especially if trees were in poor vigor.

McIntosh apples pretty generally show good bloom prospects even on trees that carried a heavy load in 1933. First week in May weather brought buds along so fast that in some orchards prepink spray could not be put on. Pink did not stay pink long enough. A couple of cool nights. May 7-9, delayed the bursting a little, but at this writing, on May 12, many blocks are in full bloom and will receive petal

fall spray right away.

Other varieties of apples show very spotty conditions. Some Baldwin blocks will bloom full even where some fruit was borne in 1933. Others that did not blossom in 1933 will not in 1934.

A big group of Middlesex growers made a "Storage Tour" May 12, visiting good examples of all sorts of storage had air-cooled, refrigerated and sen

Fruit meetings at the annual Farm and Home Week of the Massachusetts State College are Tuesday and Wednesday, July 24 and 25, 1934. The usual strong program will be presented.

WM. R. COLE, Sec'y, A mherst.

JUNE, 1934

Page 12

AMERICAN FRUIT GROWER

FOR man Breeding F new fruits Latham ras sent out fo most impo mercial ras In 1908 ward C. Pa where he l pears. He m appearan appealed to and scions sent them but only t and blight. pear and h by Professo of horticult Minnesota 1934. Ext planting in and worth farther no grown in

Two New

some variet The seco Flame crab under obser masses of as well as i is deep rec ielly becau has been tr seems to be

ceptible to

apparently so widely

Wenatch

Univ

RUIT gr and especia resting eas looked as i cultural fiel workers at this season. commission and Govern pense mon Laboratory, about as us

First cov being appli than usual. lowing very moth emer as indicated third brood

The major

JUNE, 193

STATE HORTICULTURAL NEWS



Two New Minnesota Fruits Named

products so-called from the

but make eave us ign

Associaup" with ertaken a They hope iations of farm oreduce the trapping t worked s not yet

ed to aid

are re-dences of

t—in our

peaches tate Col-

ch infor-

o report,

mportant

to R. H.

re, State

you can

istry and

tion will

ec'y,

SETTS

be the

Massa-

at "time

is. In

me drop

for this r longer much of

such as

injury,

y show ees that

st week long so

k spray

ot stay nights,

tle. but

blocks

e petal

blocks

uit was

t blos-

g good houses, emi-re-

m and State , July

or.

OR many years the Minnesota Fruit POR many years the laminesota Front Breeding Farm has been at work breeding new fruits for use in this State. The Latham raspberry was the first new variety sent out for trial and is now one of the most important varieties in many com-mercial raspberry districts of the country. In 1908 one of our Minnesota boys, Edward C. Parker, was working in Manchuria where he became interested in the native pars. He found one tree (rather scrubby in appearance) that produced pears that appealed to him. He collected some seed appealed to him. He collected some seed and scions for his former professor and sent them back. The scions all dried out but only two plants survived the winter and blight. One produced a good quality pear and has just been named the Parker by Professor Alderman, chief of the division of horticulture. It is fully described in the Minnesota Horticulturist for February, 1034 Extensive testing has now shown. 1934. Extensive testing has now shown this variety to be hardy enough for general planting in the southern half of Minnesota and worth trying in favorable locations farther north (it has been successfully grown in Duluth). The variety is susceptible to fire blight but in this respect is apparently no worse than the Bartlett pear, so widely grown in other states, or than some varieties of apples in Minnesota.

The second new fruit to be named is the Flame crab apple. This seedling has been under observation for years because of the masses of highly colored fruit in the fall, as well as its blossoms in spring. The fruit as well as its blossoms in spring. The fruit is deep red in color and makes excellent jelly because of its color and quality. It has been tried in all parts of the State and seems to be perfectly hardy.

R. S. Mackintosh, Sec'y,
University Farm, St. Paul, Minn.

Wenatchee Fights Codling Moth

RUIT growers in the Wenatchee district and especially those in Chelan County are resting easier lately. For some time it looked as if the county agent, State horticultural field inspectors and investigational workers at Wenatchee would be eliminated this season. However, the Chelan County commissioners have declared an emergency and Governor Martin supplied some ex-pense money for the Wenatchee Field Laboratory, so everything is going along about as usual.

First cover sprays for codling moth are being applied about three weeks earlier than usual. While the 1934 season is following very close to the 1926 season, the moth emergence is considerably advanced as indicated by moth trap records. Only an other fall and the fall control of the season. early fall can prevent the occurrence of a third brood of codling moth this season. The majority of growers are using lead JUNE, 1934

arsenate with either fish oil or soap as spreader in the first cover spray.

Fruit has not set as heavy as was indicated by the bloom and the very favorable weather during the pollination period. Frost injury has not been serious except in a few small areas. The Jonathan variety appears to be the most unfortunate this season as it shows many misshapen apples due to cold weather, and recent rains have spread

A fruit growers' code project is being organized by A. L. Brockway of Hanford. Delegates for a State convention have been selected by the various communities which will meet in the near future.

Fruit growers of the Wenatchee district are having considerable difficulty to secure Production Credit Association loans. The recent raise in the seed loan allowance has helped many small growers. The price of soft fruit this summer will undoubtedly The price of govern late season financing for many growers.

W. A. Luce.

Texas Grapefruit Crop Increases

THE lead held so long by Florida in the production of grapefruit is endangered by the Rio Grande Valley area of Texas, with Hidalgo County promising to become the leading grapefruit producing county of the region. The census figures of 1930 gave nation. The census figures of 1930 gave Polk County, Florida, the first place, and Hidalgo County, Texas, second place in the number of bearing trees and value of crop. Now the number of young trees in Hidalgo County so far exceeds the number of young trees in Polk County that it is only a matter of time when the counties will change

The pecan growers' associations of Texas and Oklahoma were denied money advances on pecans stored in warehouses. Senator Connaly, of Texas, was advised that "department officials were unable to consider such a step unless proponents first set up production and marketing agreements.

Governor Hogg, of Texas, was a very much beloved governor. He was very democratic. Although he had more reason to be haughty than most men, he was devoid of that weakness. He was an admirer of trees, especially of the pecan. He re-quested that when he died, his monument might be a pecan tree planted at his head, might be a pecan tree planted at his head, and that when it bore, the nuts should be distributed among the plain people of Texas for planting. Later the Texas A. & M. College obtained permission to grow trees from the nuts for free distribution. Dean Kyle, of A. & M., now announces that he has about a score of young trees from the Hogg memorial tree for distribution to school grounds and court house lawns. E. P. STILES.

AMERICAN FRUIT GROWER

Florida Citrus Crop Heavy

DR. John Dewey, America's great educator, holds that the one phenomenon typically American is that of constant change. The Florida citrus industry, judged from this standard, must be typically American. It is difficult to say whether every change is one of improvement.

Be that as it may, the efforts of this group of citrus raising people seem to prove the contention that you can't kill the farmer. After years of disappointment and discord. the citrus farmers still wear the customary riding breeches and boots, talk fertilizer, spraying, and even the possibility of better fruit prices and the subsequent lifting of a mortgage.

This year marks the advent of entirely controlled output—another change. The Florida control committee has undertaken the inspection of all fruit packed, and the even greater task of prorating shipments to the various auction markets of the North. Just as Rome was neither built nor burned in a day, so will the job of controlling ship-ments require more than a day to complete successfully. Having suffered a rather severe body blow in the form of an injunction a few months ago, the control committee now moves with greater caution and more consideration.

Fruit men and fruit organizations seem puzzled as to why shipments of both grapefruit and oranges still run as high as 20 per cent above normal every week. With per cent above normal every week. With the estimated short crop this year, shippers would be expected to hold as much fruit as possible for increasing prices. Probably the only explanation is that there is considerably more fruit left than was estimated.

This year's bloom was heavy. This was especially true of grapefruit. Many fruit men say they have never seen a heavier bloom, and it appears that Florida may have its first 40,000,000-box year. That increased prices will prevail is problematical. That increased control will prevail is fairly increased. inevitable.

Shipment of fruit from Florida by boat and truck continues to exceed movement by rail. Growers have made rather substantial savings this year by taking advantage of the lower rates and improved facilities offered by water transportation. Rail connections at New York have been improved, and markets in the East can be reached satisfactorily by this water-rail combination. With all rail rates still holding high, it is safe to say that shipments of fruit and vegetables by water will increase next year as greater facilities are acquired for hauling to ports on the coast and the St. John's River where river boats make connections with coastwise steamers at Tacksonville.

As usual, effort is being made to find a suitable use for third grade and cull fruit,

(Continued on page 15)

U.S. Authorities say: Back up your spraying with TREE BANDS



Kill Codling Moth...Cut Wormy Fruit Losses 75%

BETA NAPHTHOL Tree Bands plus your regular spray schedule will bring you the cleanest apple crop you ever had. These bands were developed and are recommended by the U.S. Department of Agriculture and State Experiment Stations.

Orchards protected by tree banding show 75% less wormy fruit loss than neighboring orchards where only sprays are used. A single band has killed as many as 1300 worms. Yet this protection costs only a few cents

American Cyanamid & Chemical Corporation does not make tree bands. But reputable manufacturers in practically every apple section make tree bands impregnated with BETA NAPHTHOL supplied by us.

Get in touch with your State Experiment Station for band size recommended for your locality. And order from your local manufacturer a supply of BETA NAPHTHOL Tree Bands sufficient for your needs.

Write for descriptive leaflet and name of nearest tree band manufacturer.



American Cyanamid & Chemical Corp. Insecticide Division

30 Rockefeller Plaza, New York, N. Y. 924 Dwight Bidg., Kansas City, Mo. Azusa, California

Beta Naphthol for TREE BANDS

CONTROLLING CODLING MOTH 100%

By JOHN T. BREGGER

THE 1934 "open season" for codling moth is here and the usual spraying and auxiliary programs are being put into action. Because so much of the grower's financial success is based on the outcome of his fight with this and other serious insects, too much emphasis cannot be placed on the methods by which adequate control can be secured.

In all districts except those having a short growing season, the codling moth has become such a serious menace that nothing but the most efficient program will control it. We may well ask what constitutes a program of control which will eliminate all possible loopholes of escape for this "bad boy" of apple and pear pests.

A complete control program should in-clude, first of all, auxiliary methods of con-trol. Banding has already become a standard practice in many fruit districts. Chemical tree bands should be placed on trees prior to the time when the first worms leave the fruit. Any orchard in which the worm percentage ran above five per cent in 1933 should show profitable results from the application of these bands. It has been estimated that banding alone will reduce the codling moth population of an orchard

at least 50 per cent.

Spraying still constitutes the main line of defense against codling moth injury. There is almost as much difference, how ever, between good spraying and poor spraying as between good spraying and no spraying at all. What, then, constitutes a good job of spraying for the codling moth?

The three important elements of good spraying are the use of the right materials, thorough application, and timeliness. Practically all growers know what materials will give good results under their own conditions. There are now many new combinations and substitutes, most of them tested and recommended by the experiment stations, which are worthy of use, at least under average conditions. Inasmuch as there are new developments every year from the standpoint of spray materials, it is very important for growers to obtain the very latest and most authoritative information on them.

First of all, the grower should concentrate on controlling the first brood as near 100 per cent as possible. The greatest 100 per cent as possible. The greatest number of potential worms may be killed by eliminating the first of the first brood. Whether or not the calyx spray is entirely applied, it is a most important matter to complete the first cover spray prior to the hatching of the first codling moth eggs. Once the codling moth gets ahead in any orchard, it is a continuous losing game for the remainder of the season.

It is worth emphasizing how much the grower has in his favor in these early season spray applications. In the first place, the foliage is fresh and covered with fine hairs, which hold the spray material much better than later on in the season when the leaves become harder and more shiny. Another advantage lies in the fact that most codling moth eggs in this first brood are laid on the foliage, rather than on the fruit. The newly hatched worms, therefore, have to crawl at least several inches over the sprayed foliage before they reach the apple upon which they try to feed, and many are poisoned before they arrive. The third advantage lies in the fact that in early

AMERICAN FRUIT GROWER

season temperatures are lower and the worms are much less active than during mid-summer, when a greater part of them simply have to emerge from the egg and go directly into the fruit without any loss in crawling time.

Thorough spraying cannot be emphasized too much. It involves, first of all, the use of sufficient liquid per tree. One cannot completely cover a tree with a restricted amount of liquid, and the attempt to effect economies in this manner usually works out in the opposite direction. It is much better to use too much liquid than too little, though neither one should be necessary. A good job of spraying may eliminate the need for one or more entire applications, which will be a far greater saving finan-cially than the small amount of liquid or materials which can be saved by a scanty application. To do a thorough job of covering a tree with spray, one should have some sort of system for determining when a tree is completely covered. Whether the spraying is done from the ground or from spraying is used from the ground or from the spray tank, each branch, leaf, and fruit should, if possible, be hit from at least three directions. This implies the use of a definite system in spraying, usually a case of directing a stream of spray forward of directing a stream of spray forward, into the tree, and then back, from each position taken by the sprayer. Proper pruning, efficient machinery, and a good man behind the spray gun constitute the three most important factors in securing a perfect coverage.

Timeliness of spray application is considered more important every year. From the standpoint of codling moth, it is extremely desirable, particularly during the early part of the year, to have both foliage and fruit fully protected at all times. It is more important, however, to have the greatest coverage at the time when there is the greatest need for it. This information is usually obtained by the use of the moth trap. In intensive fruit sections, not all fruit growers need have these traps in their own orchard, as spray dates may be set from the catches in orchard traps many miles away. The most important use of the trap in each individual orchard is the indication it gives the grower regarding the intensity of his own codling moth problem. In other words, it might tell him when he needs to put on a stronger or better combination in case his problem is more severe than the average; or it may tell him when he can eliminate an entire spray application because he has eliminated the codling moth through efficient work the previous season or in the early part of a given year. Such traps will of course pay their cost of operation many hundred times, if they can prove to the grower that he need not spray when perhaps his neighbor must do so.

"The EARLY BIRD Tree

Band Catches the Worms"

Treated with Beta Naphthol—Kills Codling Moth

Write for Prices

EDWIN H. HOUSE

MANUFACTURER

SAUGATUCK

N. Y. ST S. L. S Roy P

(Co

order to and second

the problem

manced as

State in or

surplus, can

ost recent

this fruit is

mission

of wines.

that two W

and a third

Kansas

N spite o moisture th

crops are

the State. a

one to as n

of fruits, w

is assured.

The prost crop prevail herries are

ported unifo

The Dona

heaviest set

condition, to

puts the ap

ront rank

The orch

as a CWA

dean-up of followed by

injury by th

s through

APPLE b derries and winter killed ems that ar New York g The Easte Springfield tion, so far cerned. Up: refrigerator to size do no season shipp an assortmen The State York box co lave size, sh

At Clevela epresented therry grow of a code is New York operative-pac hst year. tent a pound sors, with th ment later price of three So much 1

JUNE, 1934

by the time

Page 14

JUNE, 1934

MICHIGAN

STATE NEWS

(Continued from page 13)

order to keep the market open to first and second grades only. A short time ago a was thought that canneries would solve the problem. Accordingly, canneries were financed and constructed throughout the financed and constructed throughout the State in order to take care of this inferior fruit. While they absorbed part of the surplus, canneries did not entirely serve the purpose for which they were intended. The most recent attempt at a method for using the first in the commercial production. his fruit is in the commercial production d wines. J. A. Cormier, State beverage commissioner, has issued the information that two wineries are already in operation, and a third was licensed recently.

ART STAFFORD.

Kansas Crop Prospects Good

N spite of a general deficiency in soil moisture throughout the State, the fruit crops are not suffering. With general mins throughout the eastern two-thirds of the State, and precipitation ranging from one to as much as five inches, a full crop of fruits, whose buds survived the winter,

The prospect of a 100 per cent cherry gop prevails throughout the State. Straw-beries are also reported in a 100 per cent condition. Grapes and raspberries are re-

ported uniformly good.
The Donaphin County orchards have the haviest set of apples known in years. This condition, together with last week's rain, puts the apple growers of Kansas in the internation from trank of Kansas agriculture.

The orchard sanitation work conducted as a CWA project resulted in a wonderful

dean-up of the orchards, and it should, if followed by banding, mac...
followed by banding, moth.
CHAS. A. Scott, Sec'y,
Topeka. followed by banding, materially reduce the

N. Y. STATE HORT SOCIETY

S. L. Salisbury, Phelps, Pres. Roy P. McPherson, Leroy, Sec'y

APPLE boxes, an AAA code for sour derries and what to plant in place of winter killed and injured trees are prob-lems that are causing a lot of worry for New York growers.

The Eastern Apple Box Conference at Springfield failed to solve the box question, so far as Western New York is concerned. Upstate ships mostly by railroad refrigerator cars and boxes approved as b size do not load well in the cars. Last stason shippers found they had been sold an assortment of boxes which made bracing necessary in the cars.

The State Horticultural Society has taken the lead in calling a Western New York box conference which is expected to have size, shape and dimensions ironed out by the time this issue is in the hands of

At Cleveland, June 5, New York will be represented at an AAA hearing by sour derry growers and canners. The purpose of a code is to get higher prices for growwe york particularly objects to the co-perative-packer plan followed in Michigan lat year. Growers were advanced one tent a pound on their cherries by procestors, with the promise of additional pay-ment later if prices warranted. A flat price of three cents a pound is asked.

So much loss is apparent in the Baldwin

orchards that thought is being given to replacements. The question is will it be the placements. The question is will it be the biennial Baldwin again, or some annual

Officers are making plans for the sum-mer meeting at Geneva and will welcome any suggestions.

Ohio Society Adopts A. F. G.

AT a recent meeting of the executive committee in Columbus it was voted to give all annual and life members, who are not now subscribers to American Fruit Grower, a one-year's subscription begin-ning with their "Fifty-Year Anniversary" Number, May, 1934. While many of our

members have already subscribed to American Fruit Grower, the executive committee felt that the present policies of the paper were so commendable, that it brings, monthly, vital news and information of interest, not only to Ohio fruit growers, but to fruit growers everywhere, and that a valuable service could be extended to our membership by arranging to have all of our members subscribers to American Fruit Grower. We welcome American Fruit Grower to Ohio and hope that the most cordial spirit and cooperation can be extended between the Ohio fruit growers and AMERICAN FRUIT GROWER for the mutual advancement of both.

F. H. BEACH, Sec'y,,
Columbus.


ORCHARD

BRAND

LIME SULPHUR SOL OIL EMULSION BE DRY LIME SULPHUR BORDEAUX MIXTURE 'APPLE DRITOMIC' or DRITOMIC SULPHUR ARSENATE OF LEAD

ARSENATE OF LEAD
"ASTRINGENT"
ARSENATE OF LEAD
CALCIUM ARSENATE
ARSENITE OF ZINC
NICOTINE SULPHATE
X-13 PRETHRUM EXTE
PARADICHIOROBENZENE
BOR DEAUX DUST


Make *Every* Spray Application COUNT!



patible with standard fungicides. It has

all the advantages commonly recognized in

the standard Orchard Brand product with





GENERAL CHEMICAL COMPANY • 40 Rector Street, New York Atlanta, Baltimore, Boston, Buffalo, Charlotte, Chicago, Cleveland, Denver, Kansas City, Los Angeles, Minneapolis, Montezuma (Ga.), Philadelphia, Pittsburgh, Providence, San Francisco, Seattle, St. Louis Please send me your new 1934 edition of CASH CROPS with complete spray schedules.

Address

AMERICAN FRUIT GROWER

Page 15

orward m each Proper a good ute the ecuring is con-From is ex-

foliage It

ave the

n there

nforma-

of the

raps in may be

and the during of them

egg and

any loss phasized

the use

Cannot estricted works much

oo little cessary

nate the

ications,

g finanquid or scanty

of cov-ld have

g when ther the or from af, and

at least ase of a

a case

s many use of ling the roblem. hen he r comn when lication g moth

f operey can et spray SO.

season

JUNE, 1934

A New Deal in Hotel Rates

with BATH from 2.50 5.00

NO ADDITIONAL CHARGE WHEN OCCUPIED BY 2 PERSONS

Across from the magnificent, world-famous Radio City

Careful management insures atmosphere of accurity, refinement and quiet. Convenient to all theatres and shopping centers. A Hotel of character and distinction selecting guests today . . . as always.

FAMOUS TABLE D'HOTE RESTAURANTS Breakfast from 30c Luncheon from 40c Dinner from 75c

Garage opposite hotel-\$1.00 per day storage

HOTEL RISTOL

129-135 West 48th St. T. ELLIOT TOLSON,

President

New York City JOSEPH E. BATH, Manager

Joyous Carefree Adventure GREAT LAKES CRUISES



on the S. S. "SEEANDBEE" the World's Greatest Showboat

CHICAGO and the WORLD'S FAIR

SAULT STE. MARIE MACKINAC .

♦ GEORGIAN BAY ♦ CLEVELAND ♦ BUFFALO

NIAGARA FALLS

Here is the ideal vacation—rest, relaxation and diversion—a varied interesting voyage of over 2000 miles—with daily programs of music. dancing, deck sports, and a dazzling floor show revue and entertainment.

These cruises, seven days in duration, begin the second week in July and continue through the first week in Sentember.

September.

One low fare includes all expenses—transportation, state-room, meals, all entertainment on shipboard, and sight-seeing trip at Mackinac Island.

Beautiful illustrated folder giving complete information mailed FREE on request.



7 Days, All Expenses as low as . . . \$60.00

6 DAYS to and from Cleveland, all expenses as low as . . . \$54.50

CLEVELAND & BUFFALO TRANSIT CO. East 9th St. Pier Cleveland, Ohio

Apple shipment records of Seattle were smashed early this spring with a total movement of 5,358,000 boxes through this waterborne gateway for the current 1933-34 season. A new mark of 6,000,000 is expected to be rung up as a climax to this unprecedented season.

Page 16

PROFITABLE COLD STORAGE

(Continued from page 7)

until the storage had 7,500 barrels in it, at a temperature of 66 degrees. In two and one-half days of running, the refrigeration unit had the temperature down to 33 degrees. The house was then filled to its capacity of 10,-000 barrels. By thermostatic control, the refrigerating unit automatically holds the temperature between 32 and 36 degrees. Under these conditions the West Virginia grower held his 10,000 barrels in storage from October until January 1, when they were sold at a good profit.

A year's cost of these storage facili-

ties, including the electric current for refrigeration, current for packing room lights and power for motors of the graders, plus a year's interest on his investment in the refrigerating unit, was \$3.67 per barrel, or \$366.49

for the 10,000 barrels.

During the same period this grower, for lack of capacity at his own orchards, sent 3,800 barrels to commercial cold storage, at a cost of 45 cents per barrel, or a total of \$1,-710. He points out that had he been compelled to store the 10,000 barrels in commercial storage at 45 cents, he would have paid \$4,500 instead of his own cost of \$366.49. Thus he saved

\$4,133.51—and yet was enabled to hold his apples until he could sell at the profit price he wanted.

Cold storage at the orchard also simplifies the packaging problem. It requires a prophetic endowment for a grower to tell three months ahead of selling time what package the consumer will want the fruit enclosed in when he calls it out of storage. Keeping the fruit close to the orchard, and not packed until sold from the grower's own storage, gives time to suit the container to the consumer's choice.

Many factors must be considered before undertaking to provide cold storage at the orchard, but nevertheless more and more growers are finding it good business to make the investment. The rapid expansion of cold storage facilities, shown by figures of the U.S. Bureau of Agricultural Economics, indicates the total refrigerated space in the United States, commercial as well as farm types, increased 30.3 per cent in the seven years between October 1, 1922. and October 1, 1929. In 1922 there were 559,138,225 cubic feet of refrigerated space, which increased to 728,594,833 cubic feet by 1929.

Indiana Grower Conquers Codling Moth

(Continued from page 10)

has been hot and dry. The previous summer's drought, combined with the mild winter, gave the moths a vigorous start last spring. The trees were not sprayed as many times during the summer of 1930 as usual, because the sprayers were used for watering the orchard."

There are 85 bait traps in the 200acre orchard, 60 of which are run by Purdue University and 25 by Mr. Troth. The solution used in these quart jars is composed of 10 per cent black strap molasses, 90 per cent water, and one cubic centimeter of citral. These traps are run daily, and an accurate record is kept so that it' is possible to tell the rate of hatching in the orchard. Last year the first brood lasted from the 16th of May to the 9th of July. The lowest daily number recorded in the bait traps was three and the highest 257.

The second brood overlapped the first and reached a peak of 51 on the 14th of July. There are also three cages in the orchard where several hundred moths are placed to note their hatching. These are checked

AMERICAN FRUIT GROWER

with the bait jars. The sex of the moths are marked, as an excess of males indicates the end of a brood

The codling moth does not act the same any two years, but, through experimentation, it has been found that the ratio of damage done to the different varieties of apples remains fairly constant. The larvae seem to prefer the Delicious to any other kind. In 1930, 35 per cent of the Delicious were damaged, including worms and stings; Rome Beauty, 25 per cent; Dr. Mathews, 18 per cent; Winesap, 15 per cent; Jonathan, 12 per cent; Grimes Golden, 10 per cent; and Turley, seven per cent.

The Cortland apple is attracting a great deal of attention as a superior baking variety. In certain cities such as Cleveland, it is gaining favor rapidly and is in great demand by leading hotels and restaurants, rapidly replacing the Rome Beauty for this purpose. When baked, the Cortland holds its shape well but at the same time becomes very tender and tasty.

IUNE, 1934

EASTE THE this

Apple Gro dates repr Maryland. Pennsylva ginia. Iov Senator siding at 1 most inter n legislat Washingto in particu Senator B tion, prop spray resid the fact t cost of p that we pr There w posed char it being a this meeting mously to Byrd and agreements The foll the ensuing of Virgini New York erts, New Robert A. president; ginia, secre The co Senate Bil baskets and port. Wit

cordance w R. R. Agricultura length the explained t for culls. closed pack would prob presented other state:

Agriculture

size of con of containe specify the iners cha

U. S

Continual

Frozen Pa

been decide experimenta frozen pac berries will tion of H. charge of t years. Due ington, the laboratory v tests from prevailed, s been a blow dustry of the 2,000,000 po U. S. D. A. deavoring to in small con strawberries

berries, and JUNE, 1934

EASTERN APPLE COUNCIL

THE third annual meeting of the Eastern Apple Growers Council was held recently in Washington, D. C., with the following states represented: Connecticut, Delaware, Maryland, New Jersey, New York, Ohio, Pennsylvania, Virginia and West Virginia. Iowa was represented by proxy.

bled to sell at

rd also

em. It ent for s ahead

he conosed in

Keep-

rd, and

time to

Sumer's

sidered

le cold

verthe-

re find-

ke the

Dansion

own by

eau of

ites the

United

farm

in the

, 1922, 2 there

of re-

ised to

of the ess of brood. act the

gh ex-

d that

ne dif-

emains

em to

other

of the luding ity, 25

cent;

an, 12 0 per

ting a

perior s such

favor nd by

rapid-

or this

rtland

tasty.

, 1934

nt.

gmia. Iowa was represented by proxy.

Senator Harry F. Byrd, president, presiding at the morning session, delivered a most interesting and informative address on legislative matters now in progress in Washington affecting the apple industry in particular and agriculture in general. Senator Byrd discussed the export situation, proposed changes in tariff and its probable effect on foreign apple trade, spray residue legislation, and emphasized the fact that we must not increase the tost of production of those commodities that we produce in exportable quantity.

that we produce in exportable quantity.

There was a lengthy discussion of proposed changes in apple grade regulations, it being apparent that no unanimity of thought on this question was possible at this meeting. The meeting voted unanimously to endorse the effort of Senator Byrd and others to secure reciprocal trade agreements that would include apples.

agreements that would include apples.

The following officers were elected for the ensuing year: Senator Harry F. Byrd, of Virginia, president; J. L. Salisbury, New York, vice-president; Byron T. Roberts, New Jersey, second vice-president; Robert A. Simpson, Indiana, third vice-president; and W. S. Campfield, Virginia, secretary and treasurer.

The committee appointed to study.

ginia, secretary and treasurer.

The committee appointed to study Senate Bill S3270 proposing standardized baskets and basket material, made its report. With reference to the Secretary of Agriculture having authority to change the size of container and the number of types of containers, it was thought unwise to specify these in the law, as types of containers change from time to time in accordance with the demands of the trade.

R. R. Pailthorpe, of the Bureau of Agricultural Economics, discussed at some length the unclassified pack of apples and explained that the New York specifications for culls, which cannot be shipped in closed packages above a certain percentage, would probably take care of the situation presented by Virginia and one or two other states.

W. S. CAMPFIELD, Sec'y., Staunton, Va.

U. S. Frozen Pack Work Continues

Continuance of the valuable work of the Frozen Pack Laboratory in Seattle has been decided upon by the U. S. D. A., and experimentation and research into the "frozen packing" of various tree fruits and berries will go forward under the direction of H. C. Diehl and J. A. Berry in charge of the laboratory for the past five years. Due to economy measures at Washington, there had been rumors that the laboratory would be discontinued, but protests from fruit growers and packers have prevailed, since discontinuance would have been a blow to advancement of the fruit industry of the Pacific Northwest. The Pacific Northwest is now freezing about 2000,000 pounds of berries a year, the U.S. D. A. reveals. The workers are encavoring to perfect preservation of fruits in small containers, including the bright red trawberries, dark blackberries and blueberries, and certain tree fruits as plums,

"Scab, Codling Moth Brooks' Fruit Spot"

"The ORTHO Summer Spray Program gets 'em all at the same time!"

• USE these ORTHO materials for a real Summer Cleanup of most every Insect and Fungous Pest and combination of Pests that may infest your trees. Get them all at the same time and save time, trouble, fruit, and money.

ORTHOL-K and Lead Arsenatewith ORTHOS preader for Codling Moth. ORTHOL-K kills the eggs, reduces "stings," and adds greatly to the effective cover of the Lead Arsenate. Combined with Nicotine Sulphate it has proven highly satisfactory as a substitue for Lead Arsenate. It also cleans up Red Mite, Scale, Leaf Hoppers, Case Bearers, etc., at the same time.

COPOSIL is an improved colloidal copper fungicide, rated as safer and more effective than Bordeaux for control of Scab, Brooks' Fruit Spot, Blotch, and similar diseases.

Also mixes readily with the ORTHOL-K and Lead Arsenate or Nicotine Sulphate combination.

ortho spreader...

a remarkable film-builder for use with Arsenical, Sulphur-Arsenical, Lime-Sulphur, Bordeaux and other Copper Sprays, and the Lead-Arsenate-Oil combination. Gives more uniform coverage and aids removal of residue.

Write for ORTHO Summer Spray Bulletin and full information California Spray - Chemical Corp. 214-B West 14th Street, New York

15-B Shattuck Sq., Berkeley, Calif.

ORTHOL-K



AND LEAD ARSENATE with ORTHO SPREADER

(and 'Coposil' for Scab and Brooks' Fruit Spot)

apricots, Italian prunes and peaches. Fifty different products have been successfully preserved for a year or more at the Seattle laboratory.

Spray Authorities Aid Growers

Drafted into the federal service, Prof. R. H. Robinson, agricultural chemist in the Experiment Station at Oregon State College, Corvallis, will assist in the development of new sprays, spray chemicals and solutions for the apple industry. Numerous spraying and technical problems are expected to be overcome, and the Bureau of Entomology of the U. S. D. A. has been given \$60,000 and the services of several leading spray authorities to develop new solutions for pest control.

AMERICAN FRUIT GROWER

When your spray gun balks, don't damn it; rather sand for a Hamilton Gun, saving your temper and your fruit.

Will Hamilton

W. L. HAMILTON & CO.

BANGOR, MICHIGAN
Six Models. Better guns for less money.

JUNE, 1934



STR. EASTERN STATES

Sailing from Cleveland every Monday and Thursday, at 8 p.m. E.S.T., beginning Monday, July 2nd.

NIAGARA FALLS
THE PUT-IN-BAY ISLANDS
MACKINAC ISLAND
DETROIT • CHICAGO
BUFFALO

Seven-Day, All-Expense cruise Cleveland to Chicago, via Buffalo, and return; 5½ hours at Mackinac Island; 1 day in Buffalo; 1½ days in Chicago. Return by Put-In-Bay Islands.

\$5100 Cleveland to Chicago cruise via Detroit, and return. One way \$29.00. Unlimited stopover.

\$3200 Cleveland to Mackinac Island or St. Ignace via Detroit, and return, meals and berthincluded. \$17.00 one way. Via Buffalo \$38-50 R. T.

Music, Dancing, Deck Games, Beidge, and Afternoon Teas. Social Hostess in attendance.

MICHIGAN STATE HISTORICAL FAIR AT MACKINAC ISLAND

Plan a vacation at Mackinac Island; fine hotel accommodations at low rates. Send for illustrated booklet of D & C Tours

DAILY SERVICE CLEVELAND TO DETROIT \$3 one way, \$5 round trip

Lv. 11:30 p.m., Ar. 6:45 a.m.

For Tickets and Reservations apply to D&C Terminal, E. 9th St. Pier, Phone Main 5704; City Ticket Office, E. 9th and Chester, Cleveland, Ohio, and any authorized R. R. or Travel Agency anywhere.

DETROIT & CLEVELAND NAVIGATION COMPANY

"I've lived a long time and had consid'able experience," mused old Uncle Bill Jones, "but never yet have I seen a woman who wasn't ready to admit that she raised her children better than her neighbors did, had mighty good taste in dress, and a right high instep."

AMERICAN FRUIT GROWER

MAKING MEETINGS SUCCESSFUL

By MARY LEE ADAMS

ARE your Club Meetings successful? Women in hundreds of rural communities have organized clubs of one sort or another. These, as a rule, exercise a very wholesome influence. Numbers of such clubs are now going forward under new leaders.

The incoming president will be on her mettle to make some advance over her predecessors, to carry the organization nearer the goal which all have in mind. Regular meetings of the members are of great importance. To insure a full attendance, everyone must be able to look forward to a pleasant occasion, to a lively interest. If this is accomplished, the members will be keyed up to the point of giving willing service, and a capable president will find little difficulty in obtaining support for all her aims.

Attention has been called to some frequently neglected considerations which may make or mar any gathering. These touch on the general attractiveness of the place of meeting. Appearance is important but by no means all that is required. The place of meeting must be comfortable if it is to exercise an appeal that will make the members unwilling to miss a single occasion.

If the air is too cold, the audience seldom warms to the speaker. If too hot, a subtle somnolence steals over them. If unventilated, a sort of malease possesses and makes them restless. The meeting place, like a popular specialist, must care for the "eye, ear, nose and throat." Only under extreme excitement is the ordinary human being indifferent to these comforts.

Having achieved comfort, there remains the major task of assuring that the session shall be packed with interest. When a meeting is intentionally devoted to one especial purpose, it may be interesting without much variety, otherwise it is well nigh impossible to preserve interest without variety. This is often difficult to provide but is one of the essentials to success.

And here, may we timidly suggest another point? "Was the meeting you and Alice went so far to attend, as interesting as you expected," I inquired of a friend. "Yes indeed," was the heavy response. "It was very interesting. A trifle long. The

women repeated themselves and each other a good deal. But of course, that's always to be expected."

Why—"of course"? People repeat themselves largely because they don't know how to stop. Even a brilliant and fast-moving opening loses its force if dragged on to a lagging close. Surely there must be some painless device by which too prolonged a flow of oratory might be turned off. All speakers should understand clearly that no one person may usurp too much time. Yes, Madame President, I was just about to close anyway.

COMPENSATIONS

SOMETIMES, when the malady known euphoniously as "spring-fever" or, less elegantly, as the "itching foot," threatens to take some of the sunlight out of my surroundings because, like most of us, I cannot obey the impulse to go "away and away to the end of the day" to new scenes, new manners and customs, foreign lands, I take comfort in the remembered words of a dear and wise old man who heard me sigh because fate held me within narrow bounds.

fate held me within narrow bounds.
"There was a time," he said, "when I envied my rich friends who could go dashing about the world at will. Most young people are like that, but I've grown to count it a b'essing that all my life I've been pretty well tied down to this little place.

"Youth is the time when it's easiest to strike roots, and my interests and affections have taken a firm hold here. I've grown into my place and I'd be missed out of it. If I were transplanted now I doubt if I'd survive it.

"Look at Jim Barrett and his wife, both of them born not far from here. They never settled down. They had money and were always on the go, 'broadening their minds and getting experience.' Fine people, too, but they never stopped long enough to take root.

"They're tired of all that now and have come back to the old home for good and all. But they're disappointed. They don't count for a thing in the real life of the place, and they feel it. Jim says so. They're honestly trying to identify themselves with the community, but it takes time. They're suffering from growing pains in their later years and it hurts."

JUNE, 1934

ORCI

manure common two general mon-legum men properties and introductional leguminous total nitroduction mell as of organic majorithms of the fall winter.

A crop for may be the may be the may be the seneral manure of the may be the seneral manure of the may be the seneral manure of the sen

into the

ground is

To obtain organic murned under killing winter massome addition provided gontinue lebecomes under whee come bett soil becaut which their plished.

Soil Bacte

plowed int

compose tl ous soil b organic ma it may be Among the ous classe which con into ammo into nitrat be utilized These bac only at rel and under decomposit rapidly as the vegeta succulent. to become become m when turn As the sea supply in tending to a crop tur time of the likely are mailable w

> crops be t season. (C. UNE, 1934

> sential, the

COVER CROPS FOR ORCHARD ECONOMY

(Continued from page 6)

FUL

and each

course,

e repeat ey don't

brilliant

oses its

ng close.

painless d a flow

off. All

clearly

urp too

resident

malady

spring-

e "itch-

some of undings

cannot

ay and

to new

ustoms, in the

nd wise

because bounds.

"when

o could

at will.

nat, but

ng that

rell tied

easiest sts and

ld here.

I'd be

trans-

vive it.

is wife,

n here.

ey had

the go,

getting

o, but

ugh to

ow and

me for

disap-

a thing

d they

e hon-

nselves

takes

grow-

and it

E, 1934

vay.

S

manure crops may be divided into two general classes—leguminous and non-leguminous. Leguminous crops then properly inoculated, have the additional advantage over the non-leguminous forms of increasing the mtal nitrogen supply of the soil, as well as of increasing the amount of organic matter. Both classes may be further divided into those which die in the fall and those which live over

A crop that does not live over winter may be plowed under or disced into the soil at any time that the ground is in a favorable condition. To obtain the maximum amount of organic matter the crop should be furned under before or shortly after the killing frost. Crops that live over winter may be permitted to make some additional growth in the spring movided growth is not permitted to ontinue long enough that the plant becomes "woody." Crops plowed mder when young and succulent beome better incorporated with the soil because of the rapidity with which their decomposition is accom-

Soil Bacteria Aid in Decomposition

When a vegetative material is plowed into the soil it begins to decompose through the action of various soil bacteria which convert the organic material into a form in which may be taken up by other plants. Among these organisms are the various classes of nitrifying bacteria which convert the vegetative matter into ammonia and nitrites and finally into nitrates, in which form it may le utilized by trees and other plants. These bacteria carry on their work only at relatively warm temperatures and under moist conditions. If the decomposition is to take place as apidly as possible it is essential that the vegetation should be green and succulent. Some crops as rye tend h become tough and woody as they become mature and decay slowly when turned under in this condition. As the season advances the moisture supply in the soil often diminishes, tending to delay the decomposition of a crop turned under late. At this ime of the season the trees or bushes kely are in need of much of the mailable water in the soil. It is esuntial, therefore, that overwintering crops be turned under early in the

(Continued on page 22)

UNE, 1934



No one can make a good drink out of poor Coffee

You can get no finer coffee flavor in the cup than is in the coffee you buy. But there is one coffee you can always depend upon to be "always" delicious, "always" rich and mellow and sparklingly fresh. That coffee is Beech-Nut. For Beech-Nut is finest mountain-grown coffee, scientifically blended and roasted - then protected by modern high-vacuum tins.

Beech-Nut Coffee

Rare Flavor from Tropic Heights

Seasonable Fashions



No. 931—Comfortable Health Togs. Designed for sizes 1, 2, 4 and 6 years. Size 4 requires 1 yard of 35-inch material with 45% yards of binding for the sun-suit; and 15% yards of 39-inch material with 6½ yards of binding for the rompers.

No. 308—Cool and Lovely. Designed for sizes 14, 16, 18 years, 36, 38, and 40 inches bust. Size 16 requires 3 yards of 39-inch material with ½ yard of 35-inch contrasting.

No. 975—Delightfully Sienderizing. Designed for sizes 36, 38, 40, 42, 44, 46 and 48 inches bust. Size 36 requires 2½ yards of 39-inch



material with 13% yards of 39-inch contrasting.

No. 831—Adorable Little Frock. Designed for sizes 1, 2, 3 and 4 years. Size 4 requires 134 yards of 35-inch material.

No. 329—Casual Daytime Dress. Designed for sizes 14, 16, 18 years, 36, 38 and 40 inches bust. Size 16 requires 3½ yards of 39-inch material with ½ yard of 33-inch contrasting.

No. 976—Indispensable for Summer. Designed for sizes 36, 38, 40, 42, 44 and 46 inches bust. Size 36 requires 3¾ yards of 39-inch material.

Patterns may be secured by mail, postage prepaid, at 15 cents each from FASHION DEPART-MENT, AMERICAN FRUIT GROWER, 1370 Ontario St., Cleveland, Ohio. Be sure to state size required. Enclose 10 cents additional for Fashion Magazine (15 cents where no pattern is ordered).

AMERICAN FRUIT GROWER

Page 19



APPEAL WRAPS

Pioneer Myracol Wraps offer a practical way to protect apples, tomatoes, etc., and to add a quality appeal that apples, tomatoes, et brings, better prices

Oiled—copper treated—all colors, plain or printed. And, for extra fancy packs, transparent wraps are recommended.

Other sales-building packing specialties for many dif-ferent kinds of fruit and vegetables include: Oiled Shreds...Basket Caps, Liners, and Fringes. Also a complete line of plain or printed paperboard cartons and shipping cases.

Write today for sample and name of nearest dealer.

Packing Materials Division PIONEER PAPER STOCK COMPANY, 462 W Ohio St., Chicago

FOR FRUIT AND VEGETABLES

IN PHILADELPHIA

In the Heart of Things



with friendly hospitality to assure an enjoyable visit . . . You may properly expect precise, thoughtful service and a cuisine that is one of the enduring traditions of this world-famous hotel.

General Manager

Claude H. Bennett BELLEVUE

for one

A single room with bath at The Astor—at as low as \$3 today—gives—leading hotel service; finest New York location; smarter hotel prestige; larger, airier rooms; comfort table furnishings; the leading hotel value.

ASTOR

entrance TIMES SQUARE That's New York !



Page 20

The SALES "EVERY GROWER'S" PAGE

By T. J. TALBERT

Importance of Spraying

SPRAYING is the most important orchard practice. It is the cheapest insurance against failure. The cost of spraying is so small when compared with the returns it will bring that the orchardist can well afford to give the practice major consideration. The fruit grower who fails to spray thoroughly, properly, and at the right time will not succeed, even though he may use the best known cultural practices, pruning methods and fertilization systems.

The various sprays are applied to fruit trees and plants to prevent damage from the insects and fungous diseases injurious to orchards, vineyards and small fruit plantations. For practical purposes all the fungous diseases and insect pests may be grouped under the following three heads: (1) fungous diseases, (2) biting and chewing insects, and (3) sucking insects.

The fungous diseases are controlled by spraying the fruit trees and fruit plants with such mixtures as limesulphur and Bordeaux. Some of the most common diseases of fruits requiring sprays for their control are: apple blotch, peach leaf curl, black rot of grapes, and brown rot of the stone fruits.

The chewing and biting insects like the codling moth, plum curculio, and canker worm, actually eat portions of the fruits, stems, and leaves. These insects and all others that feed in this manner may usually be destroyed by spraying the plants upon which they are feeding with an arsenical or stomach poison. Arsenate of lead is the standard arsenical used. In spraying, the purpose is to cover completely the surface of the fruit and foliage with a thin film of the poison. The sprays should be repeated often enough to keep all new growth thoroughly covered. In so doing the insects are forced to feed upon poisoned food which kills them.

A contact spray is required for the control of sucking insects such as aphids. Examples of contact sprays are summer oil emulsions and nico-tine sulphate. They must be applied in such a manner as to come in contact with the body of the insect. The secret of success, therefore, is thoroughness. Every insect must be hit and wet with the spray; otherwise it will not be destroyed.

AMERICAN FRUIT GROWER

Amateur Tree Surgery

I would like to learn something about tree surgery. Could you tell me:

(a) How to clean the cavity?

(b) How to fill and what filler to use?

Some orchardists have been using cement, but there are more improved materials on the market.

(c) How can we compound a cold, elas. tic and lasting tree paint as dressing for pruning wounds and cavities?

(d) Do you know of some firms many. facturing special tools, drills, etc., for tree surgery?—E. H. M., California.

ALL unsound wood should be removed through the use of a chisel, tree scraper or some other implement useful for the purpose. The surface is sometimes charred by means of a torch or treated with a copper sulphate solution (one pound dissolved in one gallon of water), or a coat of asphalt paint may be applied in order to prevent decay

After all, cement is likely to prove the most valuable in filling tree cavities, where it seems necessary to fill them. When cavities are not filled, it is usually advisable to clean them out, disinfect the surfaces as suggested and provide good drainage at the

lowest point.

Nails may be driven into the surface to assist in bonding the cement. The mixture to use is one part cement to three parts of sand. It is important that the surface be left so that the growth of the wood and bark may cover it. The surface is finally smoothed and when dry should be covered with some good waterproofing.

Perhaps as good a disinfectant as can be

procured is the copper sulphate solution: when this has dried the wounds may be covered with green paint. Wounds and cavities should be given timely attention to keep them properly covered with paint and to make repairs when needed.

Unless one is to make a specialty of tree surgery, special tools are not absolutely necessary, as very good work may be done with ordinary tools that may be procured from carpenters or blacksmiths.

Control of Woolly Aphis

There is a sort of root mould on some of my young fruit trees. Is this causing much damage and what can I do about it-R. H. W., Alabama.

N ALL probability the root mould which you mention consists of the insect known as the "woolly aphis." This tiny root louse attacks the roots of not only apple trees but many other kinds of trees. The aphis secretes a waxy or down covering over their bodies and when they thickly cover the roots of apple trees, for example, their appearance is like that of a mould or fungous growth.

All factors considered, the best remedy known for an attack of woolly aphis generally consists of stimulating the trees, through better cultivation, fertilization, pruning and spraying, into a stronger veg-tative growth. When this is done, the tres are usually able to take care of themselves and ward off or repel to some extent the attack of the woolly aphis.

JUNE, 1934

NE' (Con duced in 19 what it is. astes like I apple of th s Melba w Canada, in inated see the late delicate bot the home desirable. than Early

tender and As the se of Wealthy tosh, which has been attracting with or bef beautiful p tasty that stands and nore. Getting

ason of

McIntosh

It is Kend

handsomes I duced. Zusoff, a Russian a tosh. It o officially i having fr This new of McInto who have or better i its relative Just as the season apples, Ma

these finel The other Black, a 1 apple. Th and the tre 1912, bear After five was name The fruit similar to were it no

McIntosh,

be confuse than Cortl Mutatio now are co well-know given rise years. T

ity, the tw

the New JUNE, 193

NEW TREE FRUITS

(Continued from page 5)

GE

ty

ng about

to use?

erials on

old, elas-

sing for

s manu-

for tree

removed

raper or

the pur-

arred by

a copper olved in

asphalt

prevent

ove the

where When

dvisable

faces as

e at the

rface to

mixture parts of

face he

od and

finally covered

can he

lution;

nay be

ds and

tention

h paint

olutely

e done

ocured

is

ome of

which own as

Touse trees

aphis

over

their

emedy

trees.

ation.

vege-

it the

1934

Juced in 1923. Its name indicates that it is. Early McIntosh looks and ustes like McIntosh. Another early apple of the Early McIntosh season Melba which originated at Ottawa, (anada, in 1898, as an open-polmated seedling of McIntosh raised by the late W. T. Macoun. Melba is delicate both in color and flavor. For the home and roadside it is highly desirable. It ripens a trifle earlier han Early McIntosh, and is more tender and its season shorter.

As the season advances to the time of Wealthy, a sister of Early McInwhich originated the same year, has been named Milton, and is attracting wide attention. It ripens with or before Wealthy, and is such a leautiful pinkish red in color and so asty that all patrons of roadside stands and local markets ask for more.

Getting back now into the ripening season of McIntosh, another new McIntosh seedling is out for trial. It is Kendall, and it is one of the handsomest dark red apples ever produced. Kendall is a seedling of Zusoff, a handsome dark red sour Russian apple, pollinated by McInbsh. It originated in 1912, and was officially introduced in 1932, after having fruited for several years. This new apple prolongs the season f McIntosh apples. Many people who have tried it pronounce it equal or better in flavor than McIntosh or its relative. Cortland.

Just as Early McIntosh advances the season for the McIntosh type of apples, Macoun, another seedling of McIntosh, produces a late crop of these finely flavored aromatic fruits. The other parent of Macoun is Jersey Black, a late-keeping highly colored apple. The seed was planted in 1909, and the tree went into the orchard in 1912, bearing its first crop in 1918. After five years' trial, the seedling was named and introduced in 1923. The fruits of Macoun are quite similar to those of McIntosh, and were it not for the season of maturity, the two varieties might sometimes le confused. Macoun keeps longer than Cortland.

Mutations or bud sports of apples now are common. It is said that 30 well-known varieties of apples have given rise to 225 bud sports in 10 rears. The three red sports which the New York Fruit Testing Asso-JUNE, 1934

ciation offers for sale are Red Duchess. Red Gravenstein, and Red Spy.

Of the two red sports of Duchess, which have been tried at Geneva, N. Y., the Red Duchess, discovered in the orchard of J. P. Van Buren, Stockport, N. Y., is the better. In 1914, a branch, 10 or 12 years old, was noticed in the top of a 14-yearold Duchess tree which bore Duchess apples well covered with solid red mingled with conspicuous dots and entirely lacking the usual Duchess striping. After being fruited for several years at the New York Experiment Station, the new sport was recommended for planting in place of the regular Duchess.

"Red Gravenstein" originated in San Juan Co., Washington, about 1907. Since that time other red strains of Gravenstein have appeared in this country and Canada. "Red Spy" was found in the orchard of C. E. Green, Victor, N. Y. Mr. Green sent scions to the New York Experiment Station in 1910. The fruit differs from Northern Spy only in the solid red color. Several other red sports of Northern Spy have also been found.

Probably the Delicious apple has produced more red strains throughout this and other countries than any other sort. The well-advertised "Starking" and "Richared" are typical examples of these mutations. McIntosh, Jonathan, Rome, Stayman Winesap, and Twenty Ounce likewise have produced red sports of which one or more of each are on the market today.

Among new varieties of pears, Gorham is perhaps the best and most outstanding. Gorham is a seedling of the well-known Bartlett and Josephine de Malines, an old Belgian pear. It originated in 1910, and bore its first crop 10 years later. After three years' trial it was offered to the fruit growers of America. Gorham resembles Bartlett in all characters. It ripens three weeks later and keeps in storage from six weeks to two months longer. It is every bit as good to eat and canners in the East and West find it to their liking. trees, while perhaps not wholly blight resistant, are remarkably free from this dreaded disease which takes such a toll of Bartlett trees.

A new late-season pear, ripening in December, is the Ovid, which has considerable promise because of its late-keeping qualities. This is a cross between Bartlett and Dorset which originated in 1912. It was introduced Ovid has characters of in 1931. both parents, and is as good in quality as either when properly matured.

(To be concluded in July issue)

AMERICAN FRUIT GROWER

OPPORTUNITY ADS

Only 15c a Word - CASH WITH ORDER

ADDRESS: AMERICAN FRUIT GROWER 1370 Ontario Street, Cleveland, Ohio

REFS

IF INTERESTED IN PACKAGE BEES OR QUEENS, write me for prices. D. C. JACKSON, Funston, Georgia.

IF INTERESTED IN CHOICE NUCLEI, QUEENS, or Package Bees, write for prices. Best Italian Stock. Bernard & Bejeaux, Atchafalaya, Louisiana.

FENCING-ELECTRIC

CUT FENCING COSTS 80%

Farms now using 110 volt alternating current save 80% with Electric One-Wire Fencing. Uses one strand of common barbed wire; one-quarter the ordinary number of posts; requires one-fifth the labor; no gates. Write—

ONE-WIRE FENCE COMPANY

B-30 Whitewater, Wisconsin

FOR SALE

PEACH GRADER USED ONLY ONE SEASON.
Price reasonable. JONESBORO HARDWARE COMPANY, Jonesboro, Arkansas.

FOR SALE-MISCELLANEOUS

HOSIERY — LADIES' — MEN'S — CHILDREN'S Hosiery, New catalog ready, SPECIAL—6 pairs Ladies' Chardonize hose, \$1.00. Postpaid, Guaranteed. L. S. SALES COMPANY, Asheboro, North Carolina.

FRUIT GRADERS

"Handles the Fruit with Rubber Gloves"
The Butler Simplex Fruit Grader uses soft rubber cups with instantly interchangeable grading rings. Measures only 36 by 46 inches. All metal construction. Oilless bearings. Elevator. Motor driven. Rotates fruit for inspection. Price only \$223.00. Write for circular. FRED C. BUTLER, Manufacturer, Hanna Bidg., Cleveland, Ohlo.

OLD COINS WANTED

UP TO \$20.00 PAID FOR INDIAN HEAD CENTS; Half Cents \$125.00; Large Copper Cents \$500.00, etc. Send dime for list. ROMANOCOINSHOP, D, Spring-field, Mass.

PERSONAL

OLD AGE PENSION INFORMATION. ENCLOSE stamp. Judge Lehman, Humboldt, Kans.

PYORRHEA SENSATION — NEW HOME TREATment. Kills pyorrhea germs quickly. Free Trial Bottle. Pyrogen Co., C-3051, Kansas City, Mo.

PHOTO FINISHING

ROLLS DEVELOPED. TWO BEAUTIFUL DOUBLE-weight professional enlargements and eight guaranteed Never-Fade Perfect Tone Prints. 25c coin. RAYS PHOTO SERVICE, La Crosse, Wisconsin.

COLORED ENLARGEMENT WITH EACH ROLL DEveloped, printed 25c. Quality work, prompt service. LaCrosse Film Company, LaCrosse, Wis.

PLANTS FOR SALE

10,000,000 CABBAGE PLANTS. CULTIVATED, MOSS packed. 24-hour service. Postpaid: 200—60c; 400—\$1.00; 1.000—\$1.75. Express: 2,000—\$2.00; 10,000—\$9.00. Complete plant, seed catalog free. MELLINGER'S, North Lima, Ohlo.

OHIO GROWN CABBAGE PLANTS — LEADING varieties. Expressed: 1,000—90c: 10,000—\$7.50. Postpaid: 500—90c: 1,000—\$1.60. BUCKEYE FARMS, 9 Hazel, Youngstown, Ohio.

PLANT PATENTS

A PATENTS A

Send me sketch, picture, or model of your new invention. I will give you prompt report on its probable patentability based on a search of the patent records for a small charge.

PLANTS, BUSHES, TREES, VINES, etc., can now be protected by Patents. I can furnish copies of any or all plant patents issued to date.

GEORGE E. COOK Registered Patent Attorney

International Bidg.

Washington, D. C.

JAMES ATKINS

Registered Patent Attorney

Munsey Building Washington, D. C. Inventions patented. Trade-marks and copyrights registered

Correspondence solicited

Page 21

SAVE MONEY

Order Now at Low Cost Your Favorite Magazines

| OFFER No. 1 | All 5 only |
|---|--------------|
| AMERICAN FRUIT GROWER1 yea Woman's World | |
| Country Home 1 yea | r (DI.UU |
| Poultry Tribune | Value \$2.00 |
| | 200 |
| OFFER No. 2 | All 5 only |
| AMERICAN FRUIT GROWER1 yea Pathfinder (26 issues)6 month | # 1 AA |
| Country Home 1 year | COL.UU |
| Poultry Tribune | Value \$2.00 |
| | , |
| OFFER No. 3 | All 4 only |
| AMERICAN FRUIT GROWER1 yea: Household Magazine | |
| Country Home 1 year POPULAR SCIENCE MONTHLY. 6 mos | : DI.UU |
| POPULAR SCIENCE MONTHLY 6 mos | Value \$2.00 |
| | - |
| OFFER No. 4 | All 4 enly |
| AMERICAN FRUIT GROWER1 year Pathfinder (26 issues)6 months | E 1 25 |
| Country Home 1 year | 41.40 |
| McCALL'S MAGAZINE year | Value \$2.25 |
| | , |
| OFFER No. 5 | All 4 only |
| MERICAN FRUIT GROWER1 year Woman's World | e1 25 |
| Poultry Tribune 1 year | WI.LU |
| VOMAN'S HOME COMPANION 1 year | Value \$2.25 |

Special—3 Good Magazines for \$1.30 AMERICAN FRUIT GROWER I year, and Your Choice

| | | Any | 1 80 | more | II. | LIST | Delan | |
|----|-------------|--------|-------|------|-----|------|-----------|------------|
| Ch | eck Two | - | | | | | | |
| (| | | | | | | | 1 year |
| (|) Pathfinde | er (5: | 1 100 | ues) | | | | 1 year |
| Ĺ |) American | Hom | 10 | | | | | 1 year |
| (| | | | | | | | 1 year |
| (|) Hunting | & Fi | shing | | | | | l year |
| (|) Boys' Li | fe | | | | | | 1 year |
| 1 |) Household | d Ma | gazin | e | | | | 3 years |
| (| | | | | | | | l year |
| (|) Delineato | r Ma | gasin | le | | | | 1 year |
| (| | | | | | | | 3 years |
| (|) Silver Sc | reen . | | | | | | l year |
| (| | | | | | | | . 6 months |
| (|) Needlecra | ft | | | | | | l year |
| (| | | | | | | | . 6 months |
| (|) Sports A | field | | | | | | l year |
| (| | | | | | | | .6 months |
| Ĺ | | | | | | | | 1 year |
| (|) National | Sport | sman | | | | | l year |
| | | | | | | | | |
| | | | | | | | | |
| | AMERICAL | W FR | UIT | GRO | WEI | R. C | leveland. | Onte. |

| AMERICAN | FRUIT G | ROWER. | Cleveland, | Ohle. |
|-------------|---------|--------|----------------------|--------|
| Enclosed fi | | | for which with an X. | please |
| Name | | | | |
| Postoffice | | | • • • • • • • • • • | •••• |
| R. F. D | | | state | |

CHAS. W. PRICE PASSES



The departure of a friend is always a deep sorrow and the sudden passing in New York of Charles W. Price, former Chairman of AMERICAN FRUIT GROWER, is a great loss to his associates and many friends. Aristocratic in

bearing, gracious in manner, C. W. Price was one of those rare individuals whose charming personality made friends with everyone with whom he came in contact. Although a victim of ill health for many years, he was nevertheless cheerful and his courageous heart won the lasting respect and affection of his associates.

E. G. K. Meister.

COVER CROPS FOR ORCHARD ECONOMY

(Continued from page 19)

Satisfactory Cover Crops

Many crops are satisfactory as green manures or cover crops. Experiments with orchard cover crops conducted by the Purdue University Agricultural Experiment Station for many years have been summarized as follows: "The most satisfactory orchard cover crop is that one which, in the locality under consideration, will produce the greatest growth of vegetation, relatively rich in nitrogen." This statement indicates that what might be the most satisfactory cover crop in one locality might not succeed in all parts of the state. Some good cover crops that have a wide adaptation may be listed as follows:

NON-LEGUMINOUS:

Rye—This crop has proved very satisfactory under Indiana conditions when properly managed. It is adapted to almost any type of soil and seldom fails to produce a good stand. It produces a good cover that remains on the ground over winter and yields a large amount of organic material for returning to the soil in the spring. It should be plowed under while young and succulent for best results.

Millet—Another good crop especially for the young orchard. It grows rapidly and in this latitude makes a good growth before it is killed by the frost. Millet is not so well suited to the old orchard as it does not grow well in shade. Although it does not live over winter it usually forms a mat of dry stems over the surface of the ground.

Oats—In cool moist climates oats often make a very desirable cover

Buckwheat—This crop is very similar to millet in its behavior and adaptability as an orchard cover crop. It does not form as large an amount of dry matter, however, nor does it afford so good a winter cover.

LEGUMINOUS:

Soybeans and Cowpeas—In warm regions these crops sometimes make very satisfactory cover crops. In the more northerly localities, however, they often fail to produce a satisfactory ground cover before frost, when planted at the time cover crops are generally sown.

Red Clover—A poor stand of red clover usually results from late sowing. Liming is often necessary to secure a good stand of red clover on orchard soils. Where these difficulties can be overcome red clover makes a very desirable cover crop.

AMERICAN FRUIT GROWER

Crimson Clover—Like red clover, this is a very desirable cover crop when a good stand is secured. Much winter killing has been reported on clay soils, but on lighter soils crimson clover appears to over winter in good condition and produces a large amount of organic matter.

Long

Sher

gredient

essing

tributed

research

and spra

This appl

Williams

gallons of

grams of

square inc

to the squa

of Lead co

ate of La

tringent,

posit and

This appl

one used

astringen

contain 9

content o

identical

99 micro

inch.

Winter Vetch—This makes a very satisfactory cover crop and produces a large amount of green material. Vetch sometimes winter kills but where this is not encountered good results are secured. Rye and vetch make a very desirable combination cover crop and when plowed under add a large amount of organic material to the soil.

Canada Field Peas—A splendid cover crop for northern latitudes. This crop requires moist, cool weather and under such conditions makes a heavy growth. May also be combined with oats or rye.

Other crops are especially suited to local conditions. Even under some conditions native weeds have been utilized and have given very gratifying results. The safest practice is to grow cover crops that are adapted to, and known to succeed in, the particular locality under consideration


Green Manure Crops for Strawberries

The statement of what constitutes a good cover crop applies equally well to the requirements of a good green manure crop. As great a quantity of succulent organic matter, relatively rich in nitrogen, as it is possible to secure is the ultimate aim. Strawberry growers in southern Indiana are finding that the use of green manures is of great value in maintaining a high state of soil productivity. At the same time the unpleasant effect of scattering the large amounts of weed seeds frequently encountered following the use of barnyard manure is eliminated.

A double green manure crop of me following soy beans is being used with great success. A hay type variety of soy bean is sown broadcast in late May or early June. The resulting growth is turned under in September before the stems begin to turn woody and the field is seeded to rye as soon as the soil is worked down. The rye is turned under early in the spring so that the ground may be put in shape to receive the strawberry plants by late March or early April. In this way a large amount of organic matter is incorporated in the soil during a single season and the resulting soil texture, even on rather sticky clay land, is a very great re ommendation of the effectiveness the practice.

JUNE, 1934

Longer and Better Protection Against Codling Moth



HERE'S THE TRUTH ABOUT THE KILLING POWER OF S-W ARSENATE OF LEAD

Sherwin-Williams Arsenate of Lead does not contain any cheap ingredient or astringent. It is just 98 per cent pure Arsenate of Lead possessing physical properties that insure a high deposit uniformly distributed as a blotchy covering on your apples. Facts based on scientific research are what you want. These two apples selected at random and sprayed under identical laboratory conditions tell their own story.

Lab. No. 1431

This apple was given four sprays of Sherwin-Williams Arsenate of Lead - 3 pounds to 100 gallons of water. Total deposit 143 micrograms of unadulterated arsenic oxide per square inch . . . just 50% more killing power to the square inch than its sister apple, sprayed under identical conditions, but using Arsenate of Lead containing an astringent. S-W Arsenate of Lead contains no deflocculator or astringent, insuring the maximum possible deposit and high toxicity.

Lab. No. 1432

This apple, identical in every respect to the one used in test 1431, was sprayed with an sstringent type of Arsenate of Lead stated to contain 93% active ingredients and an alum content of 21/4% to 3%. Total deposit under identical spraying conditions yielded only 99 micrograms of arsenic oxide per square





There is no substitute for KILLING POWER when Codling Moth attacks. And only a hard-hitting, two-fisted Arsenate of Lead can stop codling moth larvae. Before you experiment, remember -it costs no more to use S-W Arsenate of Lead. It costs no more to have its 50% increased deposit unhindered by deflocculators or astringents.

DON'T ACCEPT ANY SUBSTI-TUTE FOR KILLING POWER!

Codling Moth Control Service is Yours-FREE! This new, practical plan tells you how and when to spray your apples; offers definite, helpful information on trapping codling moths and banding trees to catch the worms. This service is yours without charge . . . Write

The Sherwin-Williams Co.

Insecticide Department 101 Prospect Ave. Cleveland, Ohio

SHERWIN-WILLIAMS SPRAY AND DUST MATERIALS

d clover, ver crop i. Much orted on crimson

in good

s a very produces material cills but ed good id vetch bination d under

atitudes. cool nditions ay also

ic mate-

suited er some e been gratictice is adapted he pareration.

berries stitutes equally a good quaner, relis pos-

e aim.

rn In-

ise of lue in il prone unlarge ly enbarn-

of rye used variast in e reer in gin to led to

orked early may

traw-

The truck for the farm is A BIG ECONOMICAL VALVE-IN-HEAD SIX

And Chevrolet gives you the biggest, huskiest truck in the economy field—the lowest-priced Six in the world

When you buy your truck, go straight to the heart of the matter—get the facts about the engine. If it isn't valve-in-head, if it isn't a Six, think twice. Because you simply can't get all the power you want, plus peak economy, with any other kind of engine. Six cylinders blot out vibration—cut down wear and tear. Valve-in-head construction gives you more power on less gasoline. Combine an engine like that with a body and chassis that are

truck-built throughout, and you have a hauling outfit that more than earns its keep. You have, in fact, the fastest-selling farm truck in the world—the handsome, sturdy, reliable Chevrolet. And that's not all. Big as it is, efficient as it is, powerful as it is, this truck costs less to buy than any other Six on the market.

CHEVROLET MOTOR CO., DETROIT, MICH.

Compare Chevrolet's low delivered prices and easy
G.M.A.C. terms. A General Motors Value





190,000 miles through desert heat and still has original pistons—J. L. Bain of El Centro, California, who owned this Chevrolet truck, says it was still hauling 6 to 7 tons of hay a trip when he traded it for a 1934 model. "The only expense we have had," he writes, "was the replacement of one wheel bearing."

CHEVROLET SIX-CYLINDER TRUCKS